

- 1 2016 **FREIGHTLINER CC13264T Coronado Glider Kit, 464,857 Miles as of May 22, 2020, Series 60 12.7 Liter 500 H.P. Detroit Engine, Engine Brake**, 13 Speed Transmission, 40,000 Lb. Rear Ends, Full Screw, 3.42 Ratio, **Air Ride Suspension, 70 Inch Mid-Roof XT Sleeper Cab**, Air Conditioned, Aluminum Deer Guard Bumper, Cruise Control, Deep Chrome Bumper, Hydraulic Power Steering, Stainless Steel Exterior Visor, Stainless Steel Heated Power Mirrors, Panel Lights, Chaparral Interior, Dual High Back Air Ride Seats, Power Windows, Telescopic Tilt Wheel, Power Door Locks, Espar Bunk Heater, Dual Chrome Stacks, Dual Aluminum Fuel Tanks, Quarter Fenders, Air Slide 5th, 260 Inch Wheel Base, 22.5 Low Profile Tires, **Aluminum Disc Wheels** \$ _____
- 2 2015 **KENWORTH T660 Glider Kit, Series 60 12.7 Liter 500 H.P. Detroit Engine, Engine Brake**, 13 Speed Transmission, 40,000 Lb. Rear Ends, Full Screw, 3.42 Ratio, **Air Ride Suspension, 86 Inch Aerodyne Studio Sleeper**, Air Conditioned, Cruise Control, Deep Chrome Bumper, Hydraulic Power Steering, Stainless Steel Exterior Visor, Heated Power Mirrors, Panel Lights, VIT Interior, Dual High Back Air Ride Seats, Power Windows, Telescopic Tilt Wheel, Power Door Locks, Espar Bunk Heater, Fuel Tank Fairings, Side Extenders, Single Chrome Stack, Dual Aluminum Fuel Tanks, Stainless Steel Quarter Fenders, Air Slide 5th, 260 Inch Wheel Base, 22.5 Low Profile Tires, **Aluminum Disc Wheels** \$ _____
- 3 2015 **FREIGHTLINER CC13264T Coronado Glider Kit, 382,029 Miles as of May 22, 2020, Series 60 12.7 Liter 500 H.P. Detroit Engine, Engine Brake**, 10 Speed Transmission, 40,000 Lb. Rear Ends, Full Screw, 3.55 Ratio, **Air Ride Suspension, Air Ride Front Axle, Day Cab**, Air Ride Cab, Air Conditioned, Cruise Control, Deep Chrome Bumper, Hydraulic Power Steering, Stainless Steel Exterior Visor, Stainless Steel Heated Power Mirrors, Chaparral Interior, Dual High Back Air Ride Seats, Power Windows, Telescopic Tilt Wheel, Dual Chrome Stacks, Dual Aluminum Fuel Tanks, Half Fenders, **PTO**, Air Slide 5th, 220 Inch Wheel Base, 22.5 Low Profile Tires, **Aluminum Disc Wheels** \$ _____
- 4 2015 **FREIGHTLINER CA12564ST Cascadia Conventional, DD15 455 H.P. Detroit Engine, Engine Brake**, 10 Speed Transmission, 40,000 Lb. Rear Ends, Full Screw, 2.47 Ratio, **Air Ride Suspension, Optimized Idle, On-Guard Collision Safety System, Park Smart Electric Auxiliary HVAC System with Auxiliary Bunk Heater, 72 Inch Raised-Roof Walk-In Sleeper**, Bunk Beds, Air Conditioned, Cruise Control, Hydraulic Power Steering, Heated Power Mirrors, Premium Interior, Dual High Back Air Ride Seats, Power Windows, Telescopic Tilt Wheel, Fuel Tank Fairings, Horizontal Exhaust, Side Extenders, Dual Aluminum Fuel Tanks, Quarter Fenders, Stationary/Air Release 5th, 233 Inch Wheel Base, 22.5 Low Profile Tires, Disc Wheels, Aluminum Disc Front & Outside Rear \$ _____
- 5 2015 **INTERNATIONAL ProStar Plus Conventional, ISX15 450 Cummins Engine with DEF Deleted, Engine Brake**, 13 Speed Transmission, 40,000 Lb. Rear Ends, Full Screw, **Air Ride Suspension, 51 Inch Pro High-Rise Walk-In Sleeper**, Air Conditioned, Cruise Control, Hydraulic Power Steering, Exterior Visor, Stainless Steel Heated Power Mirrors, Dual High Back Air Ride Seats, Power Windows, Telescopic Tilt Wheel, Power Door Locks, Smart Steering Wheel, Side Extenders, Single Stack, Dual Aluminum Fuel Tanks, Quarter Fenders, Air Slide 5th, 215 Inch Wheel Base, 22.5 Low Profile Tires, **Aluminum Disc Wheels** \$ _____
- 6 2015 **INTERNATIONAL ProStar Plus Conventional, 354,552 Miles as of May 21, 2020, N-13 450 H.P. Navstar Engine, Engine Brake**, 10 Speed Transmission, 23,000 Lb. Rear End, **Single Axle with Air Ride Tag Axle, Independent Dump Valves**, 3.21 Ratio, **Air Ride Suspension, 56 Inch High-Rise Walk-In Sleeper**, Air Conditioned, Cruise Control, Deep Chrome Bumper, Hydraulic Power Steering, Exterior Visor, Stainless Steel Heated Power Mirrors, Premium Interior, Dual High Back Seats, Air Ride Driver`s Seat, Power Windows, Telescopic Tilt Wheel, Power Door Locks, Horizontal Exhaust, Aluminum Fuel Tank, Aluminum Saddle Box, Stainless Steel Quarter Fenders, Disc Brakes, **Driver Controlled Full-Locking Differential**, No Idle Battery Powered HVAC System, Air Slide 5th, 214 Inch Wheel Base, 445/50R22.5 Wide Base Tires Rear, 22.5 Low Profile Tires Front, **Aluminum Disc Wheels** \$ _____

Lot#	Description	Price
7	2015 INTERNATIONAL ProStar Plus Conventional, Non-Runner, ISX15 450 Cummins Engine, Engine Brake, 10 Speed Automated Transmission without Clutch Pedal, 40,000 Lb. Rear Ends, Full Screw, Air Ride Suspension, 73 Inch Pro High-Rise Walk-In Sleeper, Bunk Beds, Air Conditioned, Cruise Control, Hydraulic Power Steering, Air Fairing, Side Extenders, Exterior Visor, Heated Power Mirrors, High Back Air Ride Driver's Seat, Power Windows, Telescopic Tilt Wheel, Power Door Locks, Smart Steering Wheel, Fuel Tank Fairings, Horizontal Exhaust, Dual Aluminum Fuel Tanks, Auxiliary Bunk Heater, Air Slide 5th, 230 Inch Wheel Base, 22.5 Low Profile Tires, Aluminum Disc Wheels	\$ _____
8	2014 KENWORTH T660 Conventional, ISX 400 Cummins Engine, Engine Brake, 10 Speed Transmission, 40,000 Lb. Rear Ends, Full Screw, 3.55 Ratio, Air Ride Suspension, 62 Inch Aerocab Walk-in Sleeper, Air Conditioned, Cruise Control, Hydraulic Power Steering, Heated Power Mirrors, Splendor Interior, Dual High Back Seats, Air Ride Driver's Seat, Power Windows, Telescopic Tilt Wheel, Power Door Locks, Horizontal Exhaust, Dual Aluminum Fuel Tanks, Aluminum Saddle Box, Auxiliary Bunk Heater, Quarter Fenders, Disc Brakes, Aluminum Headache Rack with One Enclosed Compartment, Aluminum Tarp Rack, Adjustable 5th, 236 Inch Wheel Base, 22.5 Low Profile Tires, Aluminum Disc Wheels	\$ _____
9	2014 KENWORTH T800 Conventional, MX-13 500 H.P. Paccar Engine, Engine Brake, 13 Speed Transmission, 40,000 Lb. Rear Ends, Full Screw, 3.55 Ratio, Air Ride Suspension, 62 Inch Aerocab Walk-In Sleeper, Air Conditioned, Cruise Control, Deep Chrome Bumper, Hydraulic Power Steering, Stainless Steel Exterior Visor, Stainless Steel Heated Moto Mirrors, VIT Interior, Dual High Back Air Ride Seats, Power Windows, Telescopic Tilt Wheel, Power Door Locks, Dual Chrome Stacks, Side Extenders, Dual Aluminum Fuel Tanks, Aluminum Headache Rack, Aluminum Saddle Box, Half Fenders, Air Slide 5th, 242 Inch Wheel Base, 11R24.5 Tires, Aluminum Disc Wheels	\$ _____
10	2014 FREIGHTLINER CC13264T Coronado Glider Kit, Approximately 126,000 Miles on Documented Engine Overhaul, Series 60 12.7 Liter 500 H.P. Detroit Engine, Engine Brake, 13 Speed Transmission, 40,000 Lb. Rear Ends, Full Screw, 3.55 Ratio, Air Ride Suspension, Air Ride Front Axle, 70 Inch Mid-Roof XT Sleeper Cab, Air Conditioned, Cruise Control, Deep Chrome Bumper, Hydraulic Power Steering, Taylor Wing Wind Deflector, Stainless Steel Exterior Visor, Stainless Steel Heated Power Mirrors, Panel Lights, Chaparral Interior, Dual High Back Air Ride Seats, Power Windows, Telescopic Tilt Wheel, Espar Bunk Heater, Dual Chrome Stacks, Dual Aluminum Fuel Tanks, Quarter Fenders, Air Slide 5th, 265 Inch Wheel Base, 22.5 Low Profile Tires, Aluminum Disc Wheels	\$ _____
11	2014 FREIGHTLINER CA12564ST Cascadia Conventional, DD15 455 H.P. Detroit Engine, Engine Brake, 10 Speed Transmission, 40,000 Lb. Rear Ends, Full Screw, 3.42 Ratio, Air Ride Suspension, 60 Inch Mid-Roof XT Walk-In Sleeper, Air Conditioned, Cruise Control, Hydraulic Power Steering, Stainless Steel Heated Power Mirrors, Premium Interior, Dual High Back Seats, Air Ride Driver's Seat, Power Windows, Telescopic Tilt Wheel, Horizontal Exhaust, Dual Aluminum Fuel Tanks, Auxiliary Bunk Heater, Quarter Fenders, Automatic Grease Lubrication System, Disc Brakes, Merritt Aluminum Headache Rack, Aluminum Tarp Rack, Adjustable 5th, 229 Inch Wheel Base, 22.5 Low Profile Tires, Aluminum Disc Wheels	\$ _____
12	2014 FREIGHTLINER CA11364ST Cascadia Conventional, 450,812 Actual Miles as of April 3, 2020, DD13 470 H.P. Detroit Engine, Engine Brake, 10 Speed Transmission, 40,000 Lb. Rear Ends, Full Screw, 3.58 Ratio, Air Ride Suspension, Lite-Gard Aluminum Deer Guard Bumper, 48 Inch Mid-Roof Walk-In Sleeper, Air Conditioned, Cruise Control, Hydraulic Power Steering, Exterior Visor, Heated Power Mirrors, Premium Interior, Dual High Back Air Ride Seats, Power Windows, Telescopic Tilt Wheel, Flood Lights Rear of Cab, Horizontal Exhaust, Side Extenders, Dual Aluminum Fuel Tanks, Stainless Steel Quarter Fenders, Driver Controlled Full-Locking Differential, Air Slide 5th, 210 Inch Wheel Base, 11R22.5 Tires, Aluminum Disc Wheels	\$ _____
13	2014 FREIGHTLINER CA11364ST Cascadia Conventional, 508,812 Miles as of May 29th 2020, DD13 450 H.P. Detroit Engine, Engine Brake, 10 Speed Ultrashift Transmission with Clutch Pedal, 40,000 Lb. Rear Ends, Full Screw, 2.64 Ratio, Air Ride Suspension, Wabco On-Guard Collision Safety System, 58 Inch Mid-Roof XT Sleeper Cab, Air Conditioned, Cruise Control, Hydraulic Power Steering, Exterior Visor, Heated Power Mirrors, Premium Interior, Dual High Back Seats, Air Ride Driver's Seat, Power Windows, Telescopic Tilt Wheel, Single Chrome Stack, Dual Aluminum Fuel Tanks, Quarter Fenders, Disc Brakes, Adjustable 5th, 240 Inch Wheel Base, 11R22.5 Tires, Aluminum Disc Wheels	\$ _____

Lot#	Description	Price
14	2014 INTERNATIONAL ProStar Conventional, N-13 410 H.P. Navistar Engine, Engine Brake, 10 Speed Transmission, 23,000 Lb. Rear End, Single Axle, 3.58 Ratio, Air Ride Suspension, Day Cab, Air Ride Cab, Air Conditioned, Cruise Control, Deep Chrome Bumper, Hydraulic Power Steering, Air Fairing, Exterior Visor, Heated Power Mirrors, Premium Interior, Dual High Back Seats, Air Ride Driver's Seat, Power Windows, Telescopic Tilt Wheel, Single Stack, Dual Aluminum Fuel Tanks, Quarter Fenders, Air Slide 5th, 154 Inch Wheel Base, 22.5 Low Profile Tires, Disc Wheels, Aluminum Disc Front	\$ _____
15	2013 PETERBILT 386 Ultra Cab Conventional, ISX15 450 Cummins Engine, Engine Brake, 13 Speed Transmission, 40,000 Lb. Rear Ends, Full Screw, Air Ride Suspension, 70 Inch High-Rise UniBilt Walk-In Sleeper, Air Conditioned, Cruise Control, Deep Chrome Bumper, Deer Guard Bumper, Hydraulic Power Steering, Stainless Steel Exterior Visor, Stainless Steel Heated Power Mirrors, Platinum Interior, Dual High Back Air Ride Seats, Power Windows, Telescopic Tilt Wheel, Power Door Locks, Dual Chrome Stacks, Fuel Tank Fairings, Side Extenders, Air Slide 5th, 240 Inch Wheel Base, 445/50R22.5 Wide Base Tires Rear, 22.5 Low Profile Tires Front, Aluminum Disc Wheels	\$ _____
16	2013 INTERNATIONAL ProStar Plus Conventional, MaxxForce 13 450 H.P. International Engine, Engine Brake, 10 Speed Transmission, 40,000 Lb. Rear Ends, Full Screw, Air Ride Suspension, On-Guard Collision Safety System, 72 Inch Pro High-Rise Walk-In Sleeper Cab, Air Conditioned, Cruise Control, Hydraulic Power Steering, Exterior Visor, Stainless Steel Heated Power Mirrors, Dual High Back Air Ride Seats, Power Windows, Telescopic Tilt Wheel, Power Door Locks, Smart Steering Wheel, Horizontal Exhaust, Side Extenders, Dual Aluminum Fuel Tanks, Quarter Fenders, Air Slide 5th, 229 Inch Wheel Base, 22.5 Low Profile Tires, Aluminum Disc Wheels	\$ _____
17	2013 INTERNATIONAL ProStar Plus Conventional, Non-Runner, MaxxForce 13 450 H.P. International Engine, Engine Brake, 10 Speed Transmission, 40,000 Lb. Rear Ends, Full Screw, Air Ride Suspension, On-Guard Collision Safety System, 72 Inch Pro High-Rise Walk-In Sleeper Cab, Air Conditioned, Cruise Control, Hydraulic Power Steering, Exterior Visor, Stainless Steel Heated Power Mirrors, Dual High Back Air Ride Seats, Power Windows, Telescopic Tilt Wheel, Power Door Locks, Smart Steering Wheel, Horizontal Exhaust, Side Extenders, Dual Aluminum Fuel Tanks, Quarter Fenders, Air Slide 5th, 229 Inch Wheel Base, 22.5 Low Profile Tires, Aluminum Disc Wheels	\$ _____
18	2012 WESTERN STAR 4900SA Conventional, DD15 475 H.P. Detroit Engine, Engine Brake, 10 Speed Transmission, 40,000 Lb. Rear Ends, Full Screw, 3.70 Ratio, Air Ride Suspension, 58 Inch Mid-Roof Walk-In Sleeper, Power Invertor, Shore Power, Air Conditioned, Aluminum Bumper, Cruise Control, Hydraulic Power Steering, Stainless Steel Exterior Visor, Stainless Steel Heated Power Mirrors, Dual Stainless Steel Air Cleaners, Dakota Interior, Dual High Back Air Ride Seats, Power Windows, Telescopic Tilt Wheel, Refrigerator, Dual Chrome Stacks, Dual Aluminum Fuel Tanks, Half Fenders, Comfort Pro Auxiliary Power Unit, 5th Wheel Ramps, Air Slide 5th, 240 Inch Wheel Base, 11R24.5 Tires, Aluminum Disc Wheels	\$ _____
19	2012 FREIGHTLINER CA12564ST Cascadia Conventional, DD13 450 H.P. Detroit Engine with EGR Deleted, Engine Brake, 10 Speed Transmission, 40,000 Lb. Rear Ends, Full Screw, 2.64 Ratio, Air Ride Suspension, 58 Inch Mid-Roof XT Sleeper Cab, Air Conditioned, Cruise Control, Hydraulic Power Steering, Exterior Visor, Heated Power Mirrors, Premium Interior, Dual High Back Air Ride Seats, Power Windows, Telescopic Tilt Wheel, Single Chrome Stack, Dual Aluminum Fuel Tanks, Half Fenders, Air Slide 5th, 240 Inch Wheel Base, 11R22.5 Tires, Aluminum Disc Wheels	\$ _____
20	2012 VOLVO VNL64T-300 Conventional, D13 405 H.P. Volvo Engine, Engine Brake, 10 Speed Transmission, 40,000 Lb. Rear Ends, Full Screw, 3.42 Ratio, Air Ride Suspension, Day Cab, Air Ride Cab, Air Conditioned, Cruise Control, Hydraulic Power Steering, Air Fairing, Side Extenders, Exterior Visor, Heated Power Mirrors, Dual High Back Seats, Air Ride Driver's Seat, Power Right Hand Window, Telescopic Tilt Wheel, Single Chrome Stack, Dual Aluminum Fuel Tanks, Adjustable 5th, 170 Inch Wheel Base, 22.5 Low Profile Tires, Aluminum Disc Wheels	\$ _____

Lot#	Description	Price
21	2012 VOLVO VNL64T-630 Conventional, D13 425 H.P. Volvo Engine, Engine Brake , 10 Speed Transmission, 40,000 Lb. Rear Ends, 40,000 Lb. Rear Ends, 3.36 Ratio, Air Ride Suspension, 61 Inch Walk-In Integral Sleeper , Air Conditioned, Cruise Control, Hydraulic Power Steering, Exterior Visor, Heated Power Mirrors, High Back Air Ride Driver's Seat, Power Windows, Telescopic Tilt Wheel, Side Extenders, Single Stack, Wheel to Wheel Air Fairings, Dual Aluminum Fuel Tanks, Auxiliary Bunk Heater, Adjustable 5th, 215 Inch Wheel Base, 22.5 Low Profile Tires, Aluminum Disc Wheels	\$ _____
22	2012 INTERNATIONAL ProStar Plus Conventional, 180,356 Miles as of May 29, 2020, MaxxForce 13 430 H.P. International Engine, Engine Brake , 10 Speed Transmission, 40,000 Lb. Rear Ends, Full Screw, Air Ride Suspension, Day Cab , Air Ride Cab, Air Conditioned, Cruise Control, Hydraulic Power Steering, Exterior Visor, Stainless Steel Heated Power Mirrors, Premium Interior, Dual High Back Seats, Air Ride Driver's Seat, Power Windows, Telescopic Tilt Wheel, Power Door Locks, Side Extenders, Single Chrome Stack, Aluminum Fuel Tank, Quarter Fenders, Air Slide 5th, 167 Inch Wheel Base, 22.5 Low Profile Tires, Disc Wheels, Aluminum Disc Front & Outside Rear	\$ _____
23	2012 INTERNATIONAL ProStar Plus Conventional, MaxxForce 13 430 H.P. International Engine, Engine Brake, 10 Speed Ultrashift Plus Transmission , 40,000 Lb. Rear Ends, Full Screw, 3.36 Ratio, Air Ride Suspension, Day Cab , Air Ride Cab, Air Conditioned, Cruise Control, Hydraulic Power Steering, Exterior Visor, Heated Power Mirrors, Dual High Back Seats, Air Ride Driver's Seat, Power Windows, Telescopic Tilt Wheel, Power Door Locks, Single Stack, Quarter Fenders, Stationary 5th, 181 Inch Wheel Base, 22.5 Low Profile Tires, Disc Wheels	\$ _____
24	2012 INTERNATIONAL ProStar Plus Conventional, MaxxForce 13 450 H.P. International Engine, Engine Brake , 10 Speed Transmission, 40,000 Lb. Rear Ends, Full Screw, Air Ride Suspension, 73 Inch Sky-Rise Walk-In Sleeper , Bunk Beds, Air Conditioned, Cruise Control, Hydraulic Power Steering, Exterior Visor, Stainless Steel Heated Power Mirrors, Eagle Interior, Dual High Back Air Ride Seats, Power Windows, Telescopic Tilt Wheel, Power Door Locks, Smart Steering Wheel, Fuel Tank Fairings, Side Extenders, Single Chrome Stack, Dual Aluminum Fuel Tanks, Air Slide 5th, 224 Inch Wheel Base, 22.5 Low Profile Tires, Aluminum Disc Wheels	\$ _____
25	2011 PETERBILT 387 Conventional, ISX 425ST Cummins Engine, Engine Brake, 10 Speed Autoshift Transmission without Clutch Pedal , 40,000 Lb. Rear Ends, Full Screw, 3.36 Ratio, Air Ride Suspension, Premium Length High-Roof Walk-In Sleeper , Air Conditioned, Cruise Control, Deep Chrome Bumper, Hydraulic Power Steering, Exterior Visor, Stainless Steel Heated Power Mirrors, Premium Interior, Dual High Back Air Ride Seats, Power Windows, Telescopic Tilt Wheel, Fuel Tank Fairings, Side Extenders, Single Chrome Stack, Dual Aluminum Fuel Tanks, Webasto Bunk Heater, Quarter Fenders, Air Slide/Air Release 5th, 236 Inch Wheel Base, 22.5 Low Profile Tires, Aluminum Disc Wheels	\$ _____
26	2011 VOLVO VNL64T-300 Conventional, ISX 500 Cummins Engine, Engine Brake , 10 Speed Transmission, 40,000 Lb. Rear Ends, Full Screw, 3.73 Ratio, Air Ride Suspension, Day Cab , Air Ride Cab, Air Conditioned, Cruise Control, Hydraulic Power Steering, Air Fairing, Side Extenders, Exterior Visor, Heated Power Mirrors, Limited Interior, Dual High Back Air Ride Seats, Power Windows, Telescopic Tilt Wheel, Power Door Locks, Single Stack, Dual Aluminum Fuel Tanks, Stainless Steel Quarter Fenders, Air Slide/Air Release 5th, 184 Inch Wheel Base, 22.5 Low Profile Tires, Aluminum Disc Wheels	\$ _____
27	2011 INTERNATIONAL Transtar Conventional, 369,657 Miles as of May 21, 2020, MaxxForce 13 430 H.P. International Engine, Engine Brake , 10 Speed Transmission, 40,000 Lb. Rear Ends, Full Screw, 3.42 Ratio, Air Ride Suspension, Day Cab , Air Ride Cab, Air Conditioned, Cruise Control, Deep Chrome Bumper, Hydraulic Power Steering, Exterior Visor, Stainless Steel Heated Power Mirrors, Premium Interior, Dual High Back Air Ride Seats, Power Windows, Telescopic Tilt Wheel, Side Extenders, Single Chrome Stack, Dual Aluminum Fuel Tanks, Stainless Steel Quarter Fenders, Adjustable 5th, 165 Inch Wheel Base, 22.5 Low Profile Tires, Disc Wheels, Aluminum Disc Front & Outside Rear	\$ _____

Lot#	Description	Price
28	2011 INTERNATIONAL ProStar Plus Conventional, MaxxForce 13 430 H.P. International Engine, Engine Brake, 10 Speed Transmission, 40,000 Lb. Rear Ends, Full Screw, 3.42 Ratio, Air Ride Suspension, 73 Inch High-Rise Walk-In Sleeper, Air Conditioned, Cruise Control, Hydraulic Power Steering, Air Fairing, Side Extenders, Exterior Visor, Heated Power Mirrors, Premium Interior, Dual High Back Seats, Air Ride Driver's Seat, Power Windows, Telescopic Tilt Wheel, Power Door Locks, Espar Bunk Heater, Fuel Tank Fairings, Horizontal Exhaust, Dual Aluminum Fuel Tanks, Stainless Steel Quarter Fenders, Air Slide 5th, 228 Inch Wheel Base, 22.5 Low Profile Tires, Disc Wheels, Aluminum Disc Front & Outside Rear	\$ _____
29	2009 KENWORTH T800 Conventional, ISX 550 Cummins Engine with EGR Deleted, Engine Brake, 13 Speed Transmission, 40,000 Lb. Rear Ends, Full Screw, 3.55 Ratio, Air Ride Suspension, 38 Inch Aerocab Sleeper, Air Conditioned, Cruise Control, Deep Chrome Bumper, Hydraulic Power Steering, Stainless Steel Exterior Visor, Stainless Steel Heated Moto Mirrors, Panel Lights, VIT Interior, Dual High Back Air Ride Seats, Power Windows, Telescopic Tilt Wheel, Power Door Locks, Rear Window, Dual Chrome Stacks, Side Extenders, Dual Aluminum Fuel Tanks, Half Fenders, Storage Rack, Driver Controlled Full-Locking Differential, Air Slide 5th, 220 Inch Wheel Base, 11R24.5 Tires, Aluminum Disc Wheels	\$ _____
30	2008 FREIGHTLINER CA12564ST Cascadia Conventional, Series 60 14.0 Liter 470 H.P. Detroit Engine, Engine Brake, 13 Transmission, 40,000 Lb. Rear Ends, Full Screw, 3.42 Ratio, Air Ride Suspension, 72 Inch Raised-Roof Walk-In Sleeper, Bunk Beds, Air Conditioned, Cruise Control, Deep Chrome Bumper, Hydraulic Power Steering, Heated Power Mirrors, Premium Interior, Dual High Back Air Ride Seats, Power Windows, Telescopic Tilt Wheel, Single Chrome Stack, Dual Aluminum Fuel Tanks, Stainless Steel Quarter Fenders, Air Slide 5th, 232 Inch Wheel Base, 22.5 Low Profile Tires, Aluminum Disc Wheels	\$ _____
31	2007 PETERBILT 386 Ultra Cab Conventional, C15 500 H.P. Caterpillar Engine, Engine Brake, 13 Speed Transmission, 40,000 Lb. Rear Ends, Full Screw, 3.42 Ratio, Air Ride Suspension, 70 Inch High-Rise UniBilt Walk-In Sleeper, Air Conditioned, Cruise Control, Deep Chrome Bumper, Hydraulic Power Steering, Stainless Steel Exterior Visor, Stainless Steel Heated Power Mirrors, Prestige Interior, Dual High Back Air Ride Seats, Power Windows, Telescopic Tilt Wheel, NITE System Auxiliary Power Unit, Dual Chrome Stacks, Side Extenders, Dual Aluminum Fuel Tanks, Quarter Fenders, Air Slide 5th, 252 Inch Wheel Base, 11R22.5 Tires, Aluminum Disc Wheels	\$ _____
32	2007 KENWORTH T600 Conventional, C15 475 H.P. Caterpillar Engine, Engine Brake, 13 Speed Transmission, 40,000 Lb. Rear Ends, Full Screw, 3.36 Ratio, Air Ride Suspension, 62 Inch Aerocab Walk-In Sleeper, Air Conditioned, Cruise Control, Hydraulic Power Steering, Stainless Steel Exterior Visor, Heated Power Mirrors, VIT Interior, Daylight Doors, Dual High Back Air Ride Seats, Power Right Hand Window, Telescopic Tilt Wheel, Sun Roof, Wheel to Wheel Air Fairings, Dual Aluminum Fuel Tanks, Air Slide 5th, 232 Inch Wheel Base, 11R22.5 Tires, Disc Wheels, Aluminum Disc Front & Outside Rear	\$ _____
33	2007 KENWORTH T2000 Conventional, ISX 475 Cummins Engine, Engine Brake, 10 Speed Transmission, 40,000 Lb. Rear Ends, Full Screw, 3.55 Ratio, Air Ride Suspension, RigGuard Aluminum Deer Guard, 75 Inch Aerodyne Walk-In Sleeper, Bunk Beds, Air Conditioned, Cruise Control, Hydraulic Power Steering, Air Fairing, Side Extenders, Exterior Visor, Heated Power Mirrors, Splendor Interior, Dual High Back Air Ride Seats, Power Right Hand Window, Single Stack, Dual Aluminum Fuel Tanks, Quarter Fenders, Air Slide 5th, 232 Inch Wheel Base, 22.5 Low Profile Tires, Disc Wheels, Aluminum Disc Front & Outside Rear	\$ _____
34	2007 FREIGHTLINER CL12064ST Columbia Conventional, MBE 4000 435 H.P. Mercedes Engine, Engine Brake, 10 Speed Transmission, 40,000 Lb. Rear Ends, Full Screw, 3.58 Ratio, Air Ride Suspension, Day Cab, Air Ride Cab, Air Conditioned, Cruise Control, Hydraulic Power Steering, Exterior Visor, Heated Mirrors with Power Right Mirror, Admiral Interior, Dual High Back Seats, Air Ride Driver's Seat, Power Windows, Telescopic Tilt Wheel, Single Chrome Stack, Aluminum Fuel Tank, Full Fenders, Air Slide 5th, 160 Inch Wheel Base, 11R22.5 Tires, Aluminum Disc Wheels	\$ _____

Lot#	Description	Price
35	2007 FREIGHTLINER CL12064ST Columbia Conventional, Series 60 14.0 Liter 455 H.P. Detroit Engine, Engine Brake, 10 Speed Transmission, 40,000 Lb. Rear Ends, Full Screw, 3.58 Ratio, Air Ride Suspension, Day Cab, Air Conditioned, Cruise Control, Deep Chrome Bumper, Hydraulic Power Steering, Exterior Visor, Heated Mirrors with Power Right Mirror, High Back Air Ride Driver's Seat, Power Windows, Telescopic Tilt Wheel, Single Chrome Stack, Quarter Fenders, Air Slide 5th, 170 Inch Wheel Base, 11R22.5 Tires, Aluminum Disc Wheels	\$ _____
36	2007 FREIGHTLINER CL11264ST Columbia Conventional, MBE 4000 410 H.P. Mercedes Engine, Engine Brake, 10 Speed Autoshift Transmission with Clutch Pedal, 40,000 Lb. Rear Ends, Full Screw, 3.90 Ratio, Air Ride Suspension, 58 Inch Mid-Roof XT Sleeper Cab, Air Conditioned, Cruise Control, Deep Chrome Bumper, Hydraulic Power Steering, Exterior Visor, Stainless Steel Heated Mirrors with Power Right Mirror, Admiral Interior, Dual High Back Air Ride Seats, Power Right Hand Window, Telescopic Tilt Wheel, Espar Bunk Heater, Dual Chrome Stacks, Dual Aluminum Fuel Tanks, Two Aluminum Saddle Boxes, Quarter Fenders, Automatic Grease Lubrication System, Protech Aluminum Headache Rack, Aluminum Tarp Rack, Stationary 5th, 220 Inch Wheel Base, 22.5 Low Profile Tires, Disc Wheels, Aluminum Disc Front	\$ _____
37	2007 FREIGHTLINER CL11264ST Columbia Conventional, MBE 4000 410 H.P. Mercedes Engine, Engine Brake, 10 Speed Autoshift Transmission with Clutch Pedal, 40,000 Lb. Rear Ends, Full Screw, 3.90 Ratio, Air Ride Suspension, 58 Inch Mid-Roof XT Sleeper Cab, Air Conditioned, Cruise Control, Deep Chrome Bumper, Hydraulic Power Steering, Exterior Visor, Stainless Steel Heated Mirrors with Power Right Mirror, Admiral Interior, Dual High Back Air Ride Seats, Power Right Hand Window, Telescopic Tilt Wheel, Espar Bunk Heater, Dual Chrome Stacks, Dual Aluminum Fuel Tanks, Two Aluminum Saddle Boxes, Quarter Fenders, Automatic Grease Lubrication System, Protech Aluminum Headache Rack, Aluminum Tarp Rack, Stationary 5th, 220 Inch Wheel Base, 22.5 Low Profile Tires, Disc Wheels, Aluminum Disc Front	\$ _____
38	2007 FREIGHTLINER C12064ST Century Class Conventional, Series 60 14.0 Liter 455 H.P. Detroit Engine, Engine Brake, 10 Speed Transmission, 40,000 Lb. Rear Ends, Full Screw, 3.58 Ratio, Air Ride Suspension, 70 Inch Raised-Roof Walk-In Sleeper, Bunk Beds, Air Conditioned, Cruise Control, Hydraulic Power Steering, Exterior Visor, Heated Mirrors with Power Right Mirror, Admiral Interior, Dual High Back Air Ride Seats, Power Right Hand Window, Telescopic Tilt Wheel, Side Extenders, Single Chrome Stack, Dual Aluminum Fuel Tanks, Quarter Fenders, Stationary 5th, 230 Inch Wheel Base, 22.5 Low Profile Tires Rear, Disc Wheels, 11R22.5 Tires, Aluminum Disc Front	\$ _____
39	2007 INTERNATIONAL 9900i Conventional, ISX 450 Cummins Engine, Engine Brake, 10 Speed Transmission, 40,000 Lb. Rear Ends, Full Screw, 3.90 Ratio, Air Ride Suspension, 51 Inch Pro Low-Rise Walk-In Sleeper, Air Conditioned, Cruise Control, Deep Chrome Bumper, Hydraulic Power Steering, Stainless Steel Exterior Visor, Stainless Steel Heated Mirrors with Power Right Mirror, Premium Interior, Dual High Back Seats, Air Ride Driver's Seat, Power Right Hand Window, Telescopic Tilt Wheel, Single Chrome Stack, Dual Aluminum Fuel Tanks, Stainless Steel Quarter Fenders, Aluminum Storage Box, Adjustable 5th, 228 Inch Wheel Base, 11R22.5 Tires, Disc Wheels, Aluminum Disc Front & Outside Rear	\$ _____
40	2007 INTERNATIONAL 9400i Conventional, ISX 435 Cummins Engine, Engine Brake, 10 Speed Transmission, 40,000 Lb. Rear Ends, Full Screw, 2.64 Ratio, Air Ride Suspension, 72 Inch High-Rise Walk-In Sleeper, Air Conditioned, Cruise Control, Deep Chrome Bumper, Hydraulic Power Steering, Exterior Visor, Stainless Steel Heated Mirrors with Power Right Mirror, Eagle Interior, Dual High Back Seats, Air Ride Driver's Seat, Power Windows, Telescopic Tilt Wheel, Power Door Locks, Side Extenders, Single Chrome Stack, Dual Aluminum Fuel Tanks, Quarter Fenders, Air Slide 5th, 232 Inch Wheel Base, 11R22.5 Tires, Disc Wheels, Aluminum Disc Front & Outside Rear	\$ _____
41	2007 VOLVO VNL64T-420 Conventional, Non-Runner, VED-12 465 H.P. Volvo Engine, 10 Speed Transmission, 40,000 Lb. Rear Ends, Full Screw, 3.73 Ratio, Air Ride Suspension, 42 Inch Integral Sleeper, Air Conditioned, Cruise Control, Deep Chrome Bumper, Exterior Visor, Heated Power Mirrors, Dual High Back Seats, Air Ride Driver's Seat, Power Windows, Telescopic Tilt Wheel, Power Door Locks, Single Chrome Stack, Dual Aluminum Fuel Tanks, Stainless Steel Half Fenders, 2 Line Wet-Line Kit, PTO, Stationary 5th, 190 Inch Wheel Base, 11R22.5 Tires, Disc Wheels, Aluminum Disc Front & Outside Rear	\$ _____

Lot#	Description	Price
42	2006 KENWORTH T600 Conventional, ISX 475 Cummins Engine, Engine Brake, 13 Speed Transmission, 40,000 Lb. Rear Ends, Full Screw, 3.36 Ratio, Air Ride Suspension, 72 Inch Aerocab Aerodyne Walk-In Sleeper, Air Conditioned, Cruise Control, Hydraulic Power Steering, Air Fairing, Side Extenders, Exterior Visor, Heated Power Mirrors, VIT Interior, Dual High Back Air Ride Seats, Power Windows, Telescopic Tilt Wheel, Power Door Locks, Single Chrome Stack, Dual Aluminum Fuel Tanks, Stainless Steel Quarter Fenders, Air Slide 5th, 236 Inch Wheel Base, 22.5 Low Profile Tires, Aluminum Disc Wheels	\$ _____
43	2006 FREIGHTLINER FLD12064SD Conventional, Series 60 12.7 Liter 425 H.P. Detroit Engine, Engine Brake, 10 Speed Transmission, 40,000 Lb. Rear Ends, Full Screw, 3.55 Ratio, Air Ride Suspension, Day Cab, Air Conditioned, Cruise Control, Deep Chrome Bumper, Hydraulic Power Steering, Stainless Steel Exterior Visor, Stainless Steel Heated Power Mirrors, Chaparral Interior, High Back Air Ride Driver's Seat, Telescopic Tilt Wheel, Single Chrome Stack, Dual Aluminum Fuel Tanks, Quarter Fenders, Air Slide 5th, 180 Inch Wheel Base, 22.5 Low Profile Tires, Disc Wheels, Aluminum Disc Front & Outside Rear	\$ _____
44	2006 FREIGHTLINER C12064ST Century Class Conventional, C15 435 H.P. Caterpillar Engine, Engine Brake, 13 Speed Transmission, 40,000 Lb. Rear Ends, Full Screw, 3.55 Ratio, Air Ride Suspension, 70 Inch Raised-Roof Walk-In Sleeper, Bunk Beds, Air Conditioned, Cruise Control, Hydraulic Power Steering, Exterior Visor, Heated Mirrors with Power Right Mirror, Admiral Interior, Dual High Back Air Ride Seats, Power Windows, Telescopic Tilt Wheel, Dual Chrome Stacks, Side Extenders, Wheel to Wheel Air Fairings, Dual Aluminum Fuel Tanks, Air Slide 5th, 230 Inch Wheel Base, 22.5 Low Profile Tires, Aluminum Disc Wheels	\$ _____
45	2006 VOLVO VNL64T-670 Conventional, ISX 475 Cummins Engine, Engine Brake, 13 Speed Transmission, 40,000 Lb. Rear Ends, Full Screw, 3.55 Ratio, Air Ride Suspension, 61 Inch High-Rise Walk-In Integral Sleeper, Air Conditioned, Cruise Control, Hydraulic Power Steering, Exterior Visor, Heated Power Mirrors, Dual High Back Air Ride Seats, Power Right Hand Window, Telescopic Tilt Wheel, Side Extenders, Single Chrome Stack, Wheel to Wheel Air Fairings, Dual Aluminum Fuel Tanks, Adjustable 5th, 214 Inch Wheel Base, 11R22.5 Tires Rear, 22.5 Low Profile Tires Front, Aluminum Disc Wheels	\$ _____
46	2005 KENWORTH W900L Conventional, C15 475 H.P. Caterpillar Engine, Engine Brake, 13 Speed Transmission, 40,000 Lb. Rear Ends, Full Screw, Air Ride Suspension, 86 Inch Aerodyne Studio Sleeper, Bunk Beds, Air Conditioned, Cruise Control, Deep Chrome Bumper, Hydraulic Power Steering, Stainless Steel Exterior Drop Visor, Stainless Steel Heated Moto Mirrors, Dual Stainless Steel Air Cleaners, Panel Lights, VIT Interior, Daylight Doors, Dual High Back Air Ride Seats, Power Windows, Telescopic Tilt Wheel, Refrigerator, Sun Roof, Dual Chrome Stacks, Side Extenders, Dual Aluminum Fuel Tanks, Merritt Aluminum Headache Rack, Stainless Steel Quarter Fenders, Air Slide 5th, 280 Inch Wheel Base, 11R22.5 Tires, Aluminum Disc Wheels	\$ _____
47	2005 FREIGHTLINER CL12064ST Columbia Conventional, MBE 4000 450 H.P. Mercedes Engine, Engine Brake, 12 Speed Autoshift without Clutch Pedal, 40,000 Lb. Rear Ends, Full Screw, 3.58 Ratio, Air Ride Suspension, 70 Inch Mid-Roof XT Sleeper Cab, Air Conditioned, Cruise Control, Deep Chrome Bumper, Hydraulic Power Steering, Air Fairing, Side Extenders, Exterior Visor, Stainless Steel Heated Power Mirrors, Dual High Back Air Ride Seats, Power Windows, Telescopic Tilt Wheel, Power Door Locks, Single Chrome Stack, Dual Aluminum Fuel Tanks, Stainless Steel Quarter Fenders, Aluminum Storage Box, Air Slide/Air Release 5th, 230 Inch Wheel Base, 11R22.5 Tires, Disc Wheels, Aluminum Disc Front & Outside Rear	\$ _____
48	2005 FREIGHTLINER C12064ST Century Class Conventional, Series 60 12.7 Liter 445/455 H.P. Detroit Engine, Engine Brake, 10 Speed Transmission, 40,000 Lb. Rear Ends, Full Screw, 3.58 Ratio, Air Ride Suspension, 70 Inch Raised-Roof Walk-In Sleeper, Bunk Beds, Air Conditioned, Cruise Control, Hydraulic Power Steering, Exterior Visor, Heated Mirrors with Power Right Mirror, Admiral Interior, Dual High Back Air Ride Seats, Power Right Hand Window, Telescopic Tilt Wheel, Side Extenders, Single Chrome Stack, Dual Aluminum Fuel Tanks, Quarter Fenders, Pintle Hitch, Stationary 5th, 230 Inch Wheel Base, 22.5 Low Profile Tires, Disc Wheels, Aluminum Disc Front	\$ _____

Lot#	Description	Price
49	2005 INTERNATIONAL 9200i Conventional, C13 Caterpillar Engine , 10 Speed Transmission, 40,000 Lb. Rear Ends, Full Screw, 3.55 Ratio, Air Ride Suspension, Day Cab , Air Ride Cab, Air Conditioned, Cruise Control, Deep Chrome Bumper, Hydraulic Power Steering, Exterior Visor, Stainless Steel Heated Mirrors with Power Right Mirror, Deluxe Interior, Dual High Back Seats, Air Ride Driver's Seat, Power Right Hand Window, Telescopic Tilt Wheel, Rear Window, Beacon Light, Single Stack, Dual Aluminum Fuel Tanks, Stainless Steel Full Fenders, 2 Line Wet-Line Kit, PTO , Aluminum Oil Tank, High Mount Pinnable Air Slide 5th, Low Boy Ramps, 187 Inch Wheel Base, 11R22.5 Tires, Aluminum Disc Wheels	\$ _____
50	2005 INTERNATIONAL 9400i Conventional, ISX 400ST Cummins Engine, Engine Brake , 10 Speed Transmission, 40,000 Lb. Rear Ends, Full Screw, 2.64 Ratio, Air Ride Suspension, Bad Head Gasket, 51 Inch Pro High-Rise Walk-In Sleeper , Air Conditioned, Cruise Control, Hydraulic Power Steering, Air Fairing, Side Extenders, Stainless Steel Heated Mirrors, Deluxe Interior, Dual High Back Seats, Air Ride Driver's Seat, Thermo King Tri-Pac Auxiliary Power Unit , Single Chrome Stack, Dual Aluminum Fuel Tanks, Stainless Steel Quarter Fenders, 2 Line Wet-Line Kit, PTO , Adjustable/Air Release 5th, 205 Inch Wheel Base, 11R22.5 Tires, Disc Wheels, Aluminum Disc Front & Outside Rear	\$ _____
51	2004 FREIGHTLINER CL12064ST Columbia Conventional, Series 60 12.7 Liter 385/430 H.P. Detroit Engine, Engine Brake , 10 Speed Transmission, 40,000 Lb. Rear Ends, Full Screw, 3.58 Ratio, Air Ride Suspension, 70 Inch Raised-Roof Walk-In Sleeper , Bunk Beds, Air Conditioned, Cruise Control, Hydraulic Power Steering, Heated Mirrors with Power Right Mirror, Admiral Interior, Dual High Back Air Ride Seats, Power Right Hand Window, Telescopic Tilt Wheel, Side Extenders, Single Chrome Stack, Wheel to Wheel Air Fairings, Dual Aluminum Fuel Tanks, Air Slide 5th, 234 Inch Wheel Base, 22.5 Low Profile Tires, Disc Wheels, Aluminum Disc Front & Outside Rear	\$ _____
52	2004 FREIGHTLINER CL12064ST Columbia Conventional, MBE 4000 410 H.P. Mercedes Engine, Engine Brake , 10 Speed Transmission, 40,000 Lb. Rear Ends, Full Screw, 3.70 Ratio, Air Ride Suspension, Day Cab , Cruise Control, Deep Chrome Bumper, Heated Mirrors with Power Right Mirror, High Back Air Ride Driver's Seat, Power Right Hand Window, Telescopic Tilt Wheel, Single Chrome Stack, Dual Aluminum Fuel Tanks, Stainless Steel Quarter Fenders, 179 Inch Wheel Base, Stationary 5th, Low Boy Ramps, 11R22.5 Tires, Disc Wheels, Aluminum Disc Front	\$ _____
53	2004 FREIGHTLINER CL12064ST Columbia Conventional, MBE 4000 410 H.P. Mercedes Engine, Engine Brake, 12 Speed Autoshift Transmission without Clutch Pedal , 40,000 Lb. Rear Ends, Full Screw, 3.42 Ratio, Air Ride Suspension, Day Cab , Air Conditioned, Cruise Control, Deep Chrome Bumper, Hydraulic Power Steering, Exterior Visor, Heated Power Mirrors, Dual High Back Air Ride Seats, Power Windows, Telescopic Tilt Wheel, Single Chrome Stack, Aluminum Fuel Tank, Air Slide 5th, 170 Inch Wheel Base, 11R22.5 Tires, Disc Wheels, Aluminum Disc Front & Outside Rear	\$ _____
54	2003 FREIGHTLINER CL12064ST Columbia Conventional, MBE 4000 410 H.P. Mercedes Engine, Engine Brake , 10 Speed Transmission, 40,000 Lb. Rear Ends, Full Screw, 3.70 Ratio, Air Ride Suspension, Day Cab , Air Conditioned, Cruise Control, Deep Chrome Bumper, Hydraulic Power Steering, Heated Mirrors with Power Right Mirror, High Back Air Ride Driver's Seat, Power Right Hand Window, Telescopic Tilt Wheel, Single Chrome Stack, Dual Aluminum Fuel Tanks, Stainless Steel Quarter Fenders, 179 Inch Wheel Base, Stationary 5th, Low Boy Ramps, 11R22.5 Tires, Disc Wheels, Aluminum Disc Front	\$ _____
55	2003 VOLVO VNL64T-610 Conventional, VED-12 465 H.P. Volvo Engine, Engine Brake , 13 Speed Transmission, 40,000 Lb. Rear Ends, Full Screw, 3.73 Ratio, Air Ride Suspension, 61 Inch High-Rise Walk-In Integral Sleeper , Bunk Beds, Air Conditioned, Cruise Control, Deep Chrome Bumper, Deer Guard Bumper, Hydraulic Power Steering, Exterior Visor, Heated Power Mirrors, Dual High Back Air Ride Seats, Power Windows, Telescopic Tilt Wheel, Fuel Tank Fairings, Single Stack, Dual Aluminum Fuel Tanks, Stainless Steel Quarter Fenders, Air Slide 5th, 221 Inch Wheel Base, 11R22.5 Tires, Aluminum Disc Wheels	\$ _____

56	2002 KENWORTH W900L Conventional, C-12 430 H.P. Caterpillar Engine, Engine Brake , 13 Speed Transmission, 40,000 Lb. Rear Ends, Full Screw, 3.90 Ratio, Air Ride Suspension, Day Cab , Air Conditioned, Cruise Control, Deep Chrome Bumper, Hydraulic Power Steering, Stainless Steel Exterior Visor, Stainless Steel Heated Mirrors with Power Right Mirror, Dual Stainless Steel Air Cleaners, VIT Interior, Daylight Doors, High Back Air Ride Driver's Seat, Power Right Hand Window, Telescopic Tilt Wheel, Dual Chrome Stacks, Aluminum Fuel Tank, Merritt Aluminum Saddle Box, Stainless Steel Quarter Fenders, Adjustable 5th, 220 Inch Wheel Base, 24.5 Low Profile Tires, Aluminum Disc Wheels	\$ _____
57	2000 PETERBILT 379 Extended Hood Conventional, N-14 525 Red Top Cummins Engine, Engine Brake , 13 Speed Transmission, 40,000 Lb. Rear Ends, Full Screw, Air Ride Suspension, 63 Inch High-Rise UniBilt Walk-In Sleeper , Air Conditioned, Deep Chrome Bumper, Hydraulic Power Steering, Stainless Steel Exterior Drop Visor, Train Horn, Stainless Steel Heated Mirrors, Dual Stainless Steel Air Cleaners, Custom Interior, Dual High Back Air Ride Seats, Rear Window, Dual Chrome Stacks, Dual Aluminum Fuel Tanks, Half Fenders, Air Slide 5th, 300 Inch Wheel Base, 11R22.5 Tires, Aluminum Disc Wheels	\$ _____
58	1997 FREIGHTLINER FLD12064ST Conventional, Series 60 12.7 Liter 430 H.P. Detroit Engine, Engine Brake , 10 Speed Transmission, 40,000 Lb. Rear Ends, Full Screw, 3.90 Ratio, Air Ride Suspension, Day Cab , Cruise Control, Deep Chrome Bumper, Hydraulic Power Steering, Stainless Steel Heated Mirrors with Power Right Mirror, High Back Air Ride Driver's Seat, Telescopic Tilt Wheel, Single Chrome Stack, Dual Aluminum Fuel Tanks, 2 Line Wet-Line Kit , Air Slide 5th, 220 Inch Wheel Base, 11R22.5 Tires, Disc Wheels, Aluminum Disc Front & Outside Rear	\$ _____
59	1994 KENWORTH W900L Conventional, N-14 Red Top Cummins Engine, Engine Brake , 13 Speed Transmission, 40,000 Lb. Rear Ends, Full Screw, 3.36 Ratio, Air Ride Suspension, 60 Inch Aerodyne Walk-In Sleeper , Air Conditioned, Cruise Control, Deep Chrome Bumper, Hydraulic Power Steering, Stainless Steel Exterior Visor, Stainless Steel Heated Mirrors, Dual Stainless Steel Air Cleaners, VIT Interior, High Back Air Ride Driver's Seat, Power Windows, Telescopic Tilt Wheel, Dual Chrome Stacks, Side Extenders, Dual Aluminum Fuel Tanks, Aluminum Headache Rack, Stainless Steel Quarter Fenders, Low Boy Ramps, Air Slide 5th, 265 Inch Wheel Base, 11R24.5 Tires, Aluminum Disc Wheels	\$ _____
60	1993 INTERNATIONAL 9200 Conventional , L-10 330 Cummins Engine, Engine Brake , 10 Speed Transmission, 40,000 Lb. Rear Ends, Full Screw, 4.11 Ratio, Air Ride Suspension, Day Cab , Air Conditioned, Cruise Control, Hydraulic Power Steering, Exterior Visor, Stainless Steel Heated Mirrors, Premium Interior, High Back Air Ride Driver's Seat, Power Right Hand Window, Single Chrome Stack, Aluminum Fuel Tank, Quarter Fenders, Bartlett Hydraulic Lift Air Release 5th, 162 Inch Wheel Base, 22.5 Low Profile Tires, Aluminum Disc Wheels	\$ _____
61	1992 FREIGHTLINER FLD12064ST Conventional, N-14 350 Cummins Engine , 9 Speed Transmission, 40,000 Lb. Rear Ends, Full Screw, Air Ride Suspension, Day Cab , Air Conditioned, Cruise Control, Hydraulic Power Steering, Exterior Visor, Stainless Steel Mirrors, Brougham Interior, High Back Air Ride Driver's Seat, Telescopic Tilt Wheel, Single Stack, Dual Aluminum Fuel Tanks, Headache Rack, Quarter Fenders, Storage Box, Air Slide 5th, 185 Inch Wheel Base, 24.5 Low Profile Tires, Disc Wheels	\$ _____
62	1991 WHITEGMC WG64T Conventional , 3176 Caterpillar Engine, 9 Speed Transmission, 40,000 Lb. Rear Ends, Full Screw, Air Ride Suspension, Day Cab , Air Conditioned, Cruise Control, Hydraulic Power Steering, Stainless Steel Heated Mirrors, High Back Air Ride Driver's Seat, Side Extenders, Single Chrome Stack, Dual Fuel Tanks, Quarter Fenders, PTO, Wet-Line Kit , Air Slide 5th, 160 Inch Wheel Base, 22.5 Low Profile Tires, Disc Wheels Rear, 24.5 Low Profile Tires, Aluminum Disc Front	\$ _____

Lot#	Description	Price
P-1	1999 KENWORTH T800 Dump Truck, C-12 395 H.P. Caterpillar Engine, Engine Brake, 8LL Transmission, 40,000 Lb. Rear Ends, Full Screw, 4.63 Ratio, Chalmers Suspension, 18,000 Lb. Front Axle, Cruise Control, VIT Interior, Daylight Doors, High Back Air Ride Driver's Seat, Telescopic Tilt Wheel, Single Chrome Stack, Dual Aluminum Fuel Tanks, Storage Box, 16 Ft. Dump Box, 1/4 Cab Guard, Roll Tarp, Spreader Pan, Hydraulic Coal Chute, Pintle Hook with Air & Electric, 210 Inch Wheel Base, 22.5 Low Profile Tires Rear, Disc Wheels, 385/65R22.5 Wide Base Tires Front, Aluminum Disc Front & Outside Rear	\$ _____
P-2	1996 MACK DM690S Dump Truck, 237 H.P. Mack Engine, 8LL Transmission, 40,000 Lb. Rear Ends, Full Screw, Walking Beam Suspension, 20,000 Lb. Front Axle, Hydraulic Power Steering, Stainless Steel Mirrors, 50 Gallon Fuel Step Tank, 16 Ft. Aluminum Dump Box, 48 Inch Sides with Wood Extensions, Spreader Pan, 222 Inch Wheel Base, Air Up/Down Pusher Axle with 17.5 Low Profile Tires, Disc Wheels, 11R22.5 Tires Rear, 385/65R22.5 Wide Base Tires Front, Spokes	\$ _____
P-3	1987 FORD L9000 Dump Truck, Big Cam III 350 Cummins Engine, 7 Speed Transmission, 40,000 Lb. Rear Ends, Full Screw, Hendrickson Spring Suspension, 18,000 Lb. Front Axle, Light Bar, Hydraulic Power Steering, Dual High Back Air Ride Seats, Single Stack, Dual Fuel Tanks, 12 Ft. Power Angle Snow Plow, 14 Ft. Sand Spreader Box, 204 Inch Wheel Base, 24.5 Low Profile Tires Rear, 385/65R22.5 Wide Base Tires Front, Disc Wheels	\$ _____
P-4	1968 INTERNATIONAL 1990 Loadstar Dump Truck, V-8 Gas Engine, 5 Speed Transmission, 2 Speed 18,000 Lb. Rear End, Single Axle, Spring Suspension, Power Steering, 11 Ft. Power Angle Snow Plow, 9 Ft. Dump Box, Pintle Hook, 139 Inch Wheel Base, 10:00x20 Tires, Spokes	\$ _____
P-5	2006 STERLING Material Handling Truck, MBE 4000 450 H.P. Mercedes Engine, Engine Brake, 8LL Transmission, 40,000 Lb. Rear Ends, Full Screw, Walking Beam Suspension, 18,000 Lb. Front Axle, Air Conditioned, Cruise Control, Deep Chrome Bumper, Hydraulic Power Steering, Stainless Steel Heated Mirrors, Air Ride Driver's Seat, Double Frame, TMT Material Handling Body, Model #1600S3J428786, 42 Ft. Boom with Remote Control, 24 Ft. 6 Inch Steel Flatbed, Outriggers, 272 Inch Wheel Base, 11R22.5 Tires, Disc Wheels Rear, 385/65R22.5 Wide Base Tires, Aluminum Disc Front	\$ _____
P-6	2013 FREIGHTLINER Business Class Curtainside Flatbed Truck, ISB 240 Cummins Engine, Allison Automatic Transmission, 19,000 Lb. Rear End, Single Axle, 5.13 Ratio, Air Ride Suspension, 26,000 Lb. GVWR, Air Conditioned, Cruise Control, Air Brakes, Hydraulic Power Steering, Stainless Steel Heated Mirrors, Business Class Interior, High Back Air Ride Driver Seat, 2-Man Passenger Seat, Telescopic Tilt Wheel, Horizontal Exhaust, Aluminum Fuel Tank, 20 Ft. Curtainside Body, 102 Inches Wide, Aluminum Roof, Wood Floor, D-Ring Tie Downs, Winch Rail with Winches, 97 Inch Roll-Up Rear Door, Stainless Steel Door Frame, Storage Box, Anthony 2500 Tuck-Away Lift Gate, 222 Inch Wheel Base, 22.5 Low Profile Tires, Disc Wheels	\$ _____
P-7	2013 INTERNATIONAL 4300 Van Truck, MaxxFace 7 240 H.P. Diesel Engine, Allison Automatic Transmission, 17,500 Lb. Rear End, Single Axle, Air Ride Suspension, Air Conditioned, Cruise Control, Hydraulic Power Steering, High Back Air Ride Driver's Seat, Telescopic Tilt Wheel, Horizontal Exhaust, 50 Gallon Fuel Tank, 14 Ft. Aluminum Van Body, Translucent Roof, Plywood Lined, Interior Lights, Scuff Plate, Stainless Steel Door Frame & Buck Plate, Roll-Up Door, Slide Out Aluminum Ramp, 187 Inch Wheel Base, 22.5 Low Profile Tires, Disc Wheels	\$ _____
P-8	1988 PETERBILT 378 Roll-Back Truck, 3406C Caterpillar Engine, Engine Brake, 10 Speed Transmission, 40,000 Lb. Rear Ends, Full Screw, Air Ride Suspension, Air Conditioned, Cruise Control, Deep Chrome Bumper, Hydraulic Power Steering, Spotlight, Stainless Steel Exterior Visor, Stainless Steel Heated Mirrors, Air Cleaner with Chrome Cap & Bands, Accent Interior, Dual High Back Air Ride Seats, Dual Chrome Stacks, Dual Aluminum Fuel Tanks, Stainless Steel Full Fenders, PTO, 28 Ft. Jerr-Dan Steel Roll-Back Body, 102 Inches Wide, 15,000 Lb. Ramsey Winch, 8,000 Lb. Ramsey Winch, Headache Rack with Light Bar, Tuck-Away Side Ladder, Storage Rack, Aluminum Storage Box, Container Rails, Wheel Lift, 265 Inch Wheel Base, 24.5 Low Profile Tires, Disc Wheels, Aluminum Disc Front & Outside Rear	\$ _____

Lot#	Description	Price
P-9	2004 KENWORTH T300 Cab & Chassis , 3126 300 H.P. Caterpillar Engine, 10 Speed Transmission, 40,000 Lb. Rear Ends, Full Screw, Air Ride Suspension , Air Conditioned, Cruise Control, Hydraulic Power Steering, Exterior Visor, Stainless Steel Heated Moto Mirrors, Splendor Interior, Air Ride Driver's Seat, Daylight Doors, Double Frame , 154 Inches Cab to Trunion, 238 Inches Cab to End of Frame, 220 Inch Wheel Base, 22.5 Low Profile Tires, Disc Wheels	\$ _____
P-10	1983 CHEVROLET C70 Utility Truck , 7.0 Liter V-8 Gas Engine, 5 Speed Transmission, 2 Speed 19,000 Lb. Rear End, Single Axle, Spring Suspension, Power Steering, Custom Interior, Single Fuel Tank, 11 Ft. Utility Body , Pitman PC850 Derrick/Digger , Serial #85019373317 , 8,000 Lb. Capacity , 4 Hydraulic Outriggers, 152 Inch Wheel Base, 9:00x20 Tires, Spokes	\$ _____
P-11	2014 OTTAWA Kalmar 4x2 Yard Tractor , 6.7 Liter 165 Cummins Engine, Documented Long Block November 2018 , Automatic Transmission, 23,000 Lb. Rear End, Single Axle, Raised Roof Cab , Air Conditioned, Hydraulic Power Steering, Air Ride Driver's Seat, Single Stack, 50 Gallon Fuel Tank, Full Fenders, Hydraulic/Air Release 5th, 110 Inch Wheel Base, 11R22.5 Tires Rear, 22.5 Low Profile Tires Front, Disc Wheels	\$ _____
P-12	2002 OTTAWA Commando 30 Yard Tractor , 5.9 Liter Cummins Engine, Automatic Transmission, 23,000 Lb. Rear End, Single Axle, Raised Roof Cab , Hydraulic Power Steering, Air Ride Driver's Seat, Single Stack, 50 Gallon Fuel Tank, Full Fenders, Hydraulic/Air Release 5th, 116 Inch Wheel Base, 22.5 Low Profile Tires, Disc Wheels	\$ _____
P-13	2008 FORD F450 Super Duty Wrecker , 6.4 Liter Power Stroke Turbo Diesel Engine, Automatic Transmission, Air Conditioned, Cruise Control, Power Steering, XLT Interior, Power Mirrors, Power Windows, Bucket Seats, Power Door Locks, Running Boards, Light Bar, Beacon Lights, Work Lights, Jerrdan Wrecker Boom, 18,500 Lb. Retracted Capacity, 7,000 Lb. Extended Capacity , Two 8,000 Lb. Hydraulic Winches, 4,000 Lb. Wheel Lift, 225/70R19.5 Tires, Disc Wheels	\$ _____
P-14	2005 FORD F-250 King Ranch Flatbed Truck , Power Stroke Diesel Engine, Automatic Transmission, Spring Suspension, 4-Wheel Drive , Lock-Out Hubs , 4-Door , Air Conditioned, Chrome Bumper, Cruise Control, Power Steering, Heated Power Mirrors, Lariat Interior, Power Windows, Power Door Locks, 8 Ft. Alumaline Flatbed , Gooseneck Ball, Running Boards, Aluminum Storage Boxes, Tow Package with Electrical, 18 Inch Tires, Aluminum Disc Wheels	\$ _____
P-15	2008 GMC Acadia SUV, V-6 Gas Engine , Automatic Transmission, Front Wheel Drive, 4-Door, Seats 7, 3rd Row Seating, Front Power Sun Roof, Second Seat Sun Roof with Power Shade, Cruise Control, Heated Power Mirrors, SLT Interior, Power Windows, Tilt Wheel, Compact Disc Player, DVD Player, Heated Power Leather Seats, Power Door Locks, P255/60R19 Tires, Aluminum Disc Wheels	\$ _____
P-16	2007 FORD Ranger Pick Up , 2.3 Liter 4 Cylinder Gas Engine, Automatic Transmission, Air Conditioned, Cruise Control, Power Steering, Tilt Wheel, Ladder Rack, Rear Step Bumper, 15 Inch Tires, Disc Wheels	\$ _____
P-17	2005 DODGE Ram 1500 Pick Up , 4.7 Liter V-8 Gas Engine, Automatic Transmission, Air Conditioned, Cruise Control, Front & Rear Chrome Bumpers, Power Steering, Tilt Wheel, Bucket Seats, Bed Liner, Tow Package with Electrical	\$ _____
P-18	2007 RETCO 24 Ft. Tilt Bed Trailer, 102 Inches Wide , 4 Ft. Tongue, 20 Ft. Bed, Aluminum Storage Box, Full Fenders, Spring Suspension, ST255/75R15 Tires, Disc Wheels	\$ _____
P-19	CLARK CGC30 Fork Lift , LP Gas Engine, 6,000 Lb. Capacity , 189 Inch Mast Height, Hydraulic Side Shift, 42 Inch Forks, Hard Rubber Tires	\$ _____

Lot#	Description	Price
T-1	2012 UTILITY 3000R 53 Ft. Flat Floor Aluminum Reefer, 102 Inches Wide , 13 Ft. 6 Inches High, Thermo King Unit , Bulkhead, Stainless Steel Front, Double Row E Track, White Lined, Cold Chute, Aluminum Scuff Plate, Rear Vent, Stainless Steel Door Frame & Buck Plate, Stainless Steel Swing Doors, Under Trailer Wind Deflector , Stainless Steel ICC Bumper, Dock Locks, Air Release Sliding Tandem, Air Ride Suspension, Hendricksen Tiremax Pro Tire Inflation System , 445/50R22.5 Wide Base Tires, Aluminum Disc Wheels	\$ _____
T-2	2009 UTILITY 3000R 53 Ft. Aluminum Reefer, 102 Inches Wide , 13 Ft. 6 Inches High, Carrier Unit , Stainless Steel Front Corners, White Lined, Cold Chute, Aluminum Scuff Plate, Rear Vent, Stainless Steel Door Frame & Buck Plate, Stainless Steel Swing Doors, Trailer Tail Rear Air Deflector , Air Release Sliding Tandem, Air Ride Suspension, Tire Inflation System , 22.5 Low Profile Tires, Disc Wheels	\$ _____
T-3	2009 UTILITY 3000R 53 Ft. Aluminum Reefer, 102 Inches Wide , 13 Ft. 6 Inches High, Carrier Unit , Stainless Steel Front Corners, White Lined, Cold Chute, Aluminum Scuff Plate, Rear Vent, Stainless Steel Door Frame & Buck Plate, Stainless Steel Swing Doors, Trailer Tail Rear Air Deflector , Air Release Sliding Tandem, Air Ride Suspension, Tire Inflation System , 22.5 Low Profile Tires, Disc Wheels	\$ _____
T-4	2008 UTILITY 3000R 53 Ft. Aluminum Reefer, 102 Inches Wide , 13 Ft. 6 Inches High, Carrier Unit , Stainless Steel Front Corners, White Lined, Cold Chute, Aluminum Scuff Plate, Rear Vent, Stainless Steel Door Frame & Buck Plate, Stainless Steel Swing Doors, Trailer Tail Rear Air Deflector , Air Release Sliding Tandem, Air Ride Suspension , 22.5 Low Profile Tires, Disc Wheels	\$ _____
T-5	2008 UTILITY 3000R 53 Ft. Aluminum Reefer, 102 Inches Wide , 13 Ft. 6 Inches High, Carrier Unit , Stainless Steel Front Corners, White Lined, Cold Chute, Aluminum Scuff Plate, Rear Vent, Stainless Steel Door Frame & Buck Plate, Stainless Steel Swing Doors, Trailer Tail Rear Air Deflector , Air Release Sliding Tandem, Air Ride Suspension , 22.5 Low Profile Tires, Disc Wheels	\$ _____
T-6	2008 UTILITY 3000R 53 Ft. Aluminum Reefer, 102 Inches Wide , 13 Ft. 6 Inches High, Carrier Unit , Stainless Steel Front Corners, White Lined, Cold Chute, Aluminum Scuff Plate, Rear Vent, Stainless Steel Door Frame & Buck Plate, Stainless Steel Swing Doors, Trailer Tail Rear Air Deflector , Air Release Sliding Tandem, Air Ride Suspension , 22.5 Low Profile Tires, Disc Wheels	\$ _____
T-7	2008 UTILITY 3000R 53 Ft. Aluminum Reefer, 102 Inches Wide , 13 Ft. 6 Inches High, Carrier Unit , Stainless Steel Front Corners, White Lined, Cold Chute, Aluminum Scuff Plate, Rear Vent, Stainless Steel Door Frame & Buck Plate, Stainless Steel Swing Doors, Trailer Tail Rear Air Deflector , Air Release Sliding Tandem, Air Ride Suspension, Tire Inflation System , 22.5 Low Profile Tires, Disc Wheels	\$ _____
T-8	2008 UTILITY 3000R 53 Ft. Aluminum Reefer, 102 Inches Wide , 13 Ft. 6 Inches High, Carrier Unit , Stainless Steel Front Corners, White Lined, Cold Chute, Aluminum Scuff Plate, Rear Vent, Stainless Steel Door Frame & Buck Plate, Stainless Steel Swing Doors, Trailer Tail Rear Air Deflector , Air Release Sliding Tandem, Air Ride Suspension, Tire Inflation System , 22.5 Low Profile Tires, Disc Wheels	\$ _____
T-9	2008 UTILITY 3000R 53 Ft. Aluminum Reefer, 102 Inches Wide , 13 Ft. 6 Inches High, Carrier Unit , Stainless Steel Front Corners, White Lined, Cold Chute, Aluminum Scuff Plate, Rear Vent, Stainless Steel Door Frame & Buck Plate, Stainless Steel Swing Doors, Air Release Sliding Tandem, Air Ride Suspension, Tire Inflation System , 22.5 Low Profile Tires, Disc Wheels	\$ _____
T-10	2008 UTILITY 3000R 53 Ft. Aluminum Reefer, 102 Inches Wide , 13 Ft. 6 Inches High, Carrier Unit , Stainless Steel Front Corners, White Lined, Cold Chute, Aluminum Scuff Plate, Rear Vent, Stainless Steel Door Frame & Buck Plate, Stainless Steel Swing Doors, Air Release Sliding Tandem, Air Ride Suspension, Tire Inflation System , 22.5 Low Profile Tires, Disc Wheels	\$ _____

Lot#	Description	Price
T-11	2008 UTILITY 3000R 53 Ft. Aluminum Reefer, 102 Inches Wide, 13 Ft. 6 Inches High, Carrier Unit, Stainless Steel Front Corners, White Lined, Aluminum Scuff Plate, Rear Vent, Stainless Steel Door Frame & Buck Plate, Stainless Steel Swing Doors, Air Release Sliding Tandem, Air Ride Suspension, Tire Inflation System, 22.5 Low Profile Tires, Disc Wheels	\$ _____
T-12	2008 UTILITY 3000R 53 Ft. Aluminum Reefer, 102 Inches Wide, 13 Ft. 6 Inches High, Carrier Unit, Bulkhead, Stainless Steel Front Corners, White Lined, Cold Chute, Aluminum Scuff Plate, Rear Vent, Stainless Steel Door Frame & Buck Plate, Stainless Steel Swing Doors, Air Ride Suspension, Tire Inflation System, 22.5 Low Profile Tires, Disc Wheels	\$ _____
T-13	2007 UTILITY 53 Ft. Aluminum Reefer, 102 Inches Wide, 13 Ft. 6 Inches High, Thermo King Unit, Bulkhead, White Lined, Cold Chute, Aluminum Scuff Plate, Stainless Steel Door Frame & Buck Plate, Swing Doors, Air Release Sliding Tandem, Air Ride Suspension, 22.5 Low Profile Tires, Disc Wheels	\$ _____
T-14	2007 UTILITY 3000R 53 Ft. Aluminum Reefer, 102 Inches Wide, 13 Ft. 6 Inches High, Thermo King Unit, Bulkhead, Stainless Steel Front Corners, White Lined, Cold Chute, Aluminum Scuff Plate, Rear Vent, Stainless Steel Door Frame & Buck Plate, Stainless Steel Swing Doors, Trailer Tail Rear Air Deflector, Air Release Sliding Tandem, Air Ride Suspension, 22.5 Low Profile Tires, Disc Wheels	\$ _____
T-15	2007 UTILITY 53 Ft. Aluminum Reefer, 102 Inches Wide, 13 Ft. 6 Inches High, Thermo King Unit, Bulkhead, Stainless Steel Front Corners, White Lined, Cold Chute, Aluminum Scuff Plate, Rear Vent, Stainless Steel Door Frame & Buck Plate, Stainless Steel Swing Doors, Trailer Tail Rear Air Deflector, Air Release Sliding Tandem, Air Ride Suspension, 22.5 Low Profile Tires, Disc Wheels	\$ _____
T-16	2007 UTILITY 53 Ft. Aluminum Reefer, 102 Inches Wide, 13 Ft. 6 Inches High, Thermo King Unit, Bulkhead, Stainless Steel Front Corners, White Lined, 1/2 Cold Chute, Aluminum Scuff Plate, Rear Vent, Stainless Steel Door Frame & Buck Plate, Stainless Steel Swing Doors, Air Release Sliding Tandem, Air Ride Suspension, 22.5 Low Profile Tires, Disc Wheels	\$ _____
T-17	2007 UTILITY 53 Ft. Aluminum Reefer, 102 Inches Wide, 13 Ft. 6 Inches High, Thermo King Unit, Bulkhead, Stainless Steel Front Corners, White Lined, Cold Chute, Aluminum Scuff Plate, Rear Vent, Stainless Steel Door Frame & Buck Plate, Stainless Steel Swing Doors, Air Release Sliding Tandem, Air Ride Suspension, 22.5 Low Profile Tires, Disc Wheels	\$ _____
T-18	2007 UTILITY 3000R 53 Ft. Aluminum Reefer, 102 Inches Wide, 13 Ft. 6 Inches High, Thermo King Unit, Stainless Steel Front Corners, White Lined, Cold Chute, Aluminum Scuff Plate, Rear Vent, Stainless Steel Door Frame & Buck Plate, Stainless Steel Swing Doors, Air Release Sliding Tandem, Air Ride Suspension, 22.5 Low Profile Tires, Disc Wheels	\$ _____
T-19	2005 UTILITY 3000R 53 Ft. Aluminum Reefer, 102 Inches Wide, 13 Ft. 6 Inches High, Carrier Unit, Bulkhead, Stainless Steel Front Corners, White Lined, Cold Chute, Aluminum Scuff Plate, Rear Vent, Stainless Steel Door Frame & Buck Plate, Stainless Steel Swing Doors, Air Release Sliding Tandem, Air Ride Suspension, 22.5 Low Profile Tires, Disc Wheels	\$ _____
T-20	2004 UTILITY 3000R 53 Ft. Aluminum Reefer, 102 Inches Wide, 13 Ft. 6 Inches High, Thermo King Unit, Bulkhead, Stainless Steel Front Corners, White Lined, Aluminum Scuff Plate, Rear Vent, Stainless Steel Door Frame & Buck Plate, Stainless Steel Swing Doors, Air Release Sliding Tandem, Air Ride Suspension, 11R22.5 Tires, Aluminum Disc Wheels	\$ _____
T-21	2004 UTILITY 53 Ft. Aluminum Reefer, 102 Inches Wide, 13 Ft. 6 Inches High, Carrier Unit, Bulkhead, Stainless Steel Front Corners, White Lined, Cold Chute, Aluminum Scuff Plate, Rear Vent, Stainless Steel Door Frame & Buck Plate, Stainless Steel Swing Doors, Sliding Tandem, Air Ride Suspension, 24.5 Low Profile Tires, Aluminum Disc Wheels	\$ _____

Lot#	Description	Price
T-22	1999 UTILITY 50 Ft. Flat Floor Aluminum Reefer, 96 Inches Wide, 13 Ft. 2 Inches High, Thermo King Unit, Bulkhead, E Track, White Lined, Interior Lights, Scuff Plate, Stainless Steel Door Frame & Buck Plate, Roll-Up Door, Stainless Steel ICC Bumper, Sliding Tandem, Spring Suspension, 22.5 Low Profile Tires, Disc Wheels	\$ _____
T-23	1999 UTILITY 50 Ft. Flat Floor Aluminum Reefer, 96 Inches Wide, 13 Ft. 2 Inches High, Less Unit, Bulkhead, E Track, White Lined, Interior Lights, Scuff Plate, Stainless Steel Door Frame & Buck Plate, Roll-Up Door, Stainless Steel ICC Bumper, Sliding Tandem, Spring Suspension, 22.5 Low Profile Tires, Disc Wheels	\$ _____
T-24	2008 UTILITY 48 Ft. Aluminum Reefer, 102 Inches Wide, 13 Ft. 6 Inches High, Carrier Unit, Bulkhead, Stainless Steel Front Corners, White Lined, Cold Chute, Aluminum Scuff Plate, Front & Rear Vents, Stainless Steel Door Frame & Buck Plate, Swing Doors, Dock Locks, Air Release Sliding Tandem, Air Ride Suspension, 11R22.5 Tires, Disc Wheels	\$ _____
T-25	2007 WABASH 53 Ft. DuraPlate Van, 102 Inches Wide, 13 Ft. 6 Inches High, 110 Inch Door Opening, Aluminum Roof, Logistics Equipped, Scuff Plate, Swing Doors, Dual Cam Locks, Under Trailer Wind Deflector, Sliding Tandem, Spring Suspension, 22.5 Low Profile Tires, Disc Wheels	\$ _____
T-26	2006 UTILITY 53 Ft. Aluminum Composite Van, 102 Inches Wide, 13 Ft. 6 Inches High, 110 Inch Door Opening, Translucent Roof, Composite Lining, Logistics Posts, Scuff Plate, Threshold Plate, Front & Rear Vents, Stainless Steel Door Frame & Buck Plate, Swing Doors, Dock Locks, Air Release Sliding Tandem, Air Ride Suspension, 22.5 Low Profile Tires, Disc Wheels	\$ _____
T-27	2006 WABASH Freight Pro 53 Ft. Aluminum Composite Van, 102 Inches Wide, 13 Ft. 6 Inches High, 110 Inch Door Opening, Aluminum Roof, Composite Lining, Logistics Posts, Scuff Plate, Threshold Plate, Front & Rear Vents, Swing Doors, Sliding Tandem, Right Weight Load Scale, Air Ride Suspension with Manual Dump Valve, 22.5 Low Profile Tires, Disc Wheels	\$ _____
T-28	2006 GREAT DANE 53 Ft. Aluminum Van, 102 Inches Wide, 13 Ft. 6 Inches High, 110 Inch Door Opening, Aluminum Roof, Plywood Lined, Logistics Posts, Scuff Board, Threshold Plate, Front & Rear Vents, Swing Doors, Air Release Sliding Tandem, Air Ride Suspension, 22.5 Low Profile Tires, Disc Wheels	\$ _____
T-29	2006 GREAT DANE 53 Ft. Aluminum Van, 102 Inches Wide, 13 Ft. 6 Inches High, 110 Inch Door Opening, Aluminum Roof, Aluminum Lined, Logistics Posts, Scuff Board, Threshold Plate, Swing Doors, Sliding Tandem, Air Ride Suspension, 22.5 Low Profile Tires, Disc Wheels	\$ _____
T-30	2006 GREAT DANE 53 Ft. Aluminum Van, 102 Inches Wide, 13 Ft. 6 Inches High, 110 Inch Door Opening, Aluminum Roof, Composite Lining, Logistics Posts, Scuff Board, Threshold Plate, Swing Doors, Sliding Tandem, Air Ride Suspension, 22.5 Low Profile Tires, Disc Wheels	\$ _____
T-31	2006 GREAT DANE 53 Ft. Aluminum Van, 102 Inches Wide, 13 Ft. 6 Inches High, 110 Inch Door Opening, Translucent Roof, Composite Lining, Logistics Posts, Scuff Plate, Threshold Plate, Swing Doors, Air Release Sliding Tandem, Air Ride Suspension, 22.5 Low Profile Tires, Disc Wheels	\$ _____
D-01	2006 GREAT DANE 53 Ft. Aluminum Van, 102 Inches Wide, 13 Ft. 6 Inches High, 110 Inch Door Opening, Aluminum Roof, Aluminum Lined, Logistics Posts, Scuff Board, Threshold Plate, Swing Doors, Sliding Tandem, Air Ride Suspension, 22.5 Low Profile Tires, Disc Wheels	\$ _____
T-33	2005 WABASH 53 Ft. DuraPlate HD Van, 102 Inches Wide, 13 Ft. 6 Inches High, 110 Inch Door Opening, Translucent Roof, Logistics Equipped, Scuff Plate, Threshold Plate, Stainless Steel Door Frame & Buck Plate, Swing Doors, Stainless Steel ICC Bumper, Sliding Tandem, Air Ride Suspension, Tire Inflation System, 22.5 Low Profile Tires, Disc Wheels	\$ _____

Lot#	Description	Price
T-34	2005 GREAT DANE 53 Ft. Aluminum Van, 102 Inches Wide , 13 Ft. 6 Inches High, 110 Inch Door Opening, Aluminum Roof, Plywood Lined, Logistics Posts, Scuff Board, Threshold Plate, Swing Doors, Air Release Sliding Tandem, Air Ride Suspension , 22.5 Low Profile Tires, Disc Wheels	\$ _____
T-35	2005 GREAT DANE 53 Ft. Aluminum Van, 102 Inches Wide , 13 Ft. 6 Inches High, 110 Inch Door Opening, Aluminum Roof, Plywood Lined, Logistics Posts, Scuff Plate, Threshold Plate, Swing Doors, Air Release Sliding Tandem, Air Ride Suspension , 22.5 Low Profile Tires, Disc Wheels	\$ _____
T-36	2005 GREAT DANE 53 Ft. Aluminum Van, 102 Inches Wide , 13 Ft. 6 Inches High, 110 Inch Door Opening, Aluminum Roof, Plywood Lined, Logistics Posts, Scuff Plate, Threshold Plate, Swing Doors, Air Release Sliding Tandem, Air Ride Suspension , 22.5 Low Profile Tires, Disc Wheels	\$ _____
T-37	2005 GREAT DANE 53 Ft. Aluminum Van, 102 Inches Wide , 13 Ft. 6 Inches High, 110 Inch Door Opening, Aluminum Roof, Plywood Lined, Logistics Posts, Scuff Plate, Threshold Plate, Swing Doors, Air Release Sliding Tandem, Air Ride Suspension , 22.5 Low Profile Tires, Disc Wheels	\$ _____
T-38	2004 WABASH 53 Ft. DuraPlate Van, 102 Inches Wide , 13 Ft. 6 Inches High, 110 Inch Door Opening, Aluminum Roof, Fork Truck Package, 8 Inch Crossmembers, Scuff Plate, D-Ring Tie Downs, Swing Doors, Sliding Tandem, Air Ride Suspension , Tire Inflation System, 22.5 Low Profile Tires, Aluminum Disc Wheels	\$ _____
T-39	2004 WABASH 53 Ft. DuraPlate Van, 102 Inches Wide , 13 Ft. 6 Inches High, 110 Inch Door Opening, Translucent Roof, Logistics Equipped, Scuff Plate, Threshold Plate, Stainless Steel Door Frame & Buck Plate , Swing Doors, Sliding Tandem, Air Ride Suspension , 22.5 Low Profile Tires, Disc Wheels	\$ _____
T-40	2004 GREAT DANE 53 Ft. Aluminum Van, 102 Inches Wide , 13 Ft. 6 Inches High, 110 Inch Door Opening, No Landing Gear , Aluminum Roof, Composite Lining, Logistics Posts, Scuff Board, Threshold Plate, Swing Doors, Sliding Tandem, Air Ride Suspension , 22.5 Low Profile Tires, Disc Wheels	\$ _____
T-41	2003 WABASH 53 Ft. DuraPlate Van, 102 Inches Wide , 13 Ft. 6 Inches High, 110 Inch Door Opening, Aluminum Roof, Fork Truck Package, 8 Inch Crossmembers, Scuff Plate, D-Ring Tie Downs, Swing Doors, Sliding Tandem, Air Ride Suspension , 22.5 Low Profile Tires, Aluminum Disc Wheels	\$ _____
T-42	2003 WABASH 53 Ft. DuraPlate Van, 102 Inches Wide , 13 Ft. 6 Inches High, 110 Inch Door Opening, Aluminum Roof, Fork Truck Package, 8 Inch Crossmembers, Scuff Plate, D-Ring Tie Downs, Swing Doors, Sliding Tandem, Air Ride Suspension , 22.5 Low Profile Tires, Aluminum Disc Wheels	\$ _____
T-43	2003 WABASH 53 Ft. DuraPlate Van, 102 Inches Wide , 13 Ft. 6 Inches High, 110 Inch Door Opening, Aluminum Roof, Fork Truck Package, 8 Inch Crossmembers, Scuff Plate, D-Ring Tie Downs, Swing Doors, Sliding Tandem, Air Ride Suspension , 22.5 Low Profile Tires, Aluminum Disc Wheels	\$ _____
T-44	2003 WABASH 53 Ft. DuraPlate Van, 102 Inches Wide , 13 Ft. 6 Inches High, 110 Inch Door Opening, Aluminum Roof, Fork Truck Package, 8 Inch Crossmembers, Scuff Plate, D-Ring Tie Downs, Swing Doors, Sliding Tandem, Air Ride Suspension , 22.5 Low Profile Tires, Aluminum Disc Wheels	\$ _____
T-45	2003 WABASH 53 Ft. DuraPlate Van, 102 Inches Wide , 13 Ft. 6 Inches High, 110 Inch Door Opening, Translucent Roof, Logistics Equipped, Scuff Plate, Threshold Plate, Swing Doors, Sliding Tandem, Air Ride Suspension , 22.5 Low Profile Tires, Disc Wheels	\$ _____
T-46	2003 WABASH 53 Ft. DuraPlate Van, 102 Inches Wide , 13 Ft. 6 Inches High, 110 Inch Door Opening, Aluminum Roof, Logistics Equipped, Scuff Plate, Threshold Plate, Swing Doors, Sliding Tandem, Spring Suspension, 22.5 Low Profile Tires, Disc Wheels	\$ _____

Lot#	Description	Price
T-47	2003 WABASH 53 Ft. DuraPlate Van, 102 Inches Wide, 13 Ft. 6 Inches High, 110 Inch Door Opening, Aluminum Roof, Logistics Equipped, Scuff Plate, Threshold Plate, Swing Doors, Sliding Tandem, Spring Suspension, 22.5 Low Profile Tires, Disc Wheels	\$ _____
T-48	2003 WABASH 53 Ft. DuraPlate Van, 102 Inches Wide, 13 Ft. 6 Inches High, 110 Inch Door Opening, Aluminum Roof, Logistics Equipped, Scuff Plate, Threshold Plate, Swing Doors, Sliding Tandem, Spring Suspension, 22.5 Low Profile Tires, Disc Wheels	\$ _____
T-49	2003 WABASH 53 Ft. DuraPlate Van, 102 Inches Wide, 13 Ft. 6 Inches High, 110 Inch Door Opening, Aluminum Roof, Logistics Equipped, Scuff Plate, Threshold Plate, Swing Doors, Sliding Tandem, Spring Suspension, 22.5 Low Profile Tires, Disc Wheels	\$ _____
T-50	2003 WABASH 53 Ft. DuraPlate Van, 102 Inches Wide, 13 Ft. 6 Inches High, 110 Inch Door Opening, Aluminum Roof, Logistics Equipped, Scuff Plate, Threshold Plate, Swing Doors, Sliding Tandem, Spring Suspension, 22.5 Low Profile Tires, Disc Wheels	\$ _____
T-51	2003 WABASH 53 Ft. DuraPlate Van, 102 Inches Wide, 13 Ft. 6 Inches High, 110 Inch Door Opening, Aluminum Roof, Logistics Equipped, Scuff Plate, Threshold Plate, Swing Doors, Sliding Tandem, Spring Suspension, 22.5 Low Profile Tires, Disc Wheels	\$ _____
T-52	2003 GREAT DANE 53 Ft. Aluminum Van, 102 Inches Wide, 13 Ft. 6 Inches High, 110 Inch Door Opening, Aluminum Roof, Aluminum Lined, Logistics Posts, Scuff Board, Threshold Plate, Swing Doors, Sliding Tandem, Air Ride Suspension , 22.5 Low Profile Tires, Disc Wheels	\$ _____
T-53	2003 GREAT DANE 53 Ft. Aluminum Van, 102 Inches Wide, 13 Ft. 6 Inches High, 110 Inch Door Opening, Aluminum Roof, Composite Lining, Logistics Posts, Scuff Board, Threshold Plate, Swing Doors, Sliding Tandem, Spring Suspension, 22.5 Low Profile Tires, Disc Wheels	\$ _____
T-54	2002 STRICK 53 Ft. Aluminum Van, 102 Inches Wide, 13 Ft. 6 Inches High, 110 Inch Door Opening, Translucent Roof, E Track, Plywood Lined, Scuff Plate, Threshold Plate, Swing Doors, Sliding Tandem, Spring Suspension, 22.5 Low Profile Tires, Disc Wheels	\$ _____
T-55	2002 STRICK 53 Ft. Aluminum Van, 102 Inches Wide, 13 Ft. 6 Inches High, 110 Inch Door Opening, Translucent Roof, E Track, Plywood Lined, Scuff Plate, Threshold Plate, Swing Doors, Sliding Tandem, Spring Suspension, 22.5 Low Profile Tires, Disc Wheels	\$ _____
T-56	2000 FRUEHAUF 53 Ft. Aluminum Van, 102 Inches Wide, 13 Ft. 6 Inches High, 110 Inch Door Opening, Aluminum Roof, Plywood Lined, Scuff Plate, Threshold Plate, Swing Doors, Sliding Tandem, Air Ride Suspension , 22.5 Low Profile Tires, Disc Wheels	\$ _____
T-57	1999 WABASH 53 Ft. DuraPlate Van, 102 Inches Wide, 13 Ft. 6 Inches High, 110 Inch Door Opening, Translucent Roof, Aluminum Floor with Four Nail Strips, Logistics Equipped, Scuff Plate, Threshold Plate, Swing Doors, Sliding Tandem, Air Ride Suspension with Weight Gauge , 22.5 Low Profile Tires, Disc Wheels	\$ _____
T-58	1999 WABASH 53 Ft. DuraPlate Van, 102 Inches Wide, 13 Ft. 6 Inches High, 110 Inch Door Opening, Translucent Roof, Scuff Plate, Threshold Plate, Swing Doors, Sliding Tandem, Air Ride Suspension , 22.5 Low Profile Tires, Disc Wheels	\$ _____
T-59	1999 WABASH 53 Ft. DuraPlate Van, 102 Inches Wide, 13 Ft. 6 Inches High, 110 Inch Door Opening, Translucent Roof, Scuff Plate, Threshold Plate, Swing Doors, Sliding Tandem, Air Ride Suspension , 22.5 Low Profile Tires, Disc Wheels	\$ _____

Lot#	Description	Price
T-60	1999 GREAT DANE 53 Ft. Aluminum Van, 102 Inches Wide, 13 Ft. 6 Inches High, 110 Inch Door Opening, Translucent Roof, Double Row E Track, Plywood Lined, Scuff Plate, Threshold Plate, Stainless Steel Door Frame & Buck Plate , Swing Doors, Sliding Tandem, Air Ride Suspension , 22.5 Low Profile Tires, Disc Wheels	\$ _____
T-61	1999 STOUGHTON 53 Ft. Aluminum Van, 102 Inches Wide, 13 Ft. 6 Inches High, 110 Inch Door Opening, Translucent Roof, Double Row E Track, Plywood Lined, Scuff Board, Threshold Plate, Swing Doors, Sliding Tandem, Air Ride Suspension , 22.5 Low Profile Tires, Disc Wheels	\$ _____
T-62	1999 STRICK 53 Ft. Insulated Aluminum Van, 102 Inches Wide, 13 Ft. 6 Inches High, 110 Inch Door Opening, Safetec Cargo Heater , Plywood Lined, Logistics Posts, Scuff Plate, Swing Doors, Sliding Tandem, Air Ride Suspension , 22.5 Low Profile Tires, Disc Wheels	\$ _____
T-63	1998 WABASH 53 Ft. Aluminum Van, 102 Inches Wide, 13 Ft. 6 Inches High, 110 Inch Door Opening, Translucent Roof, Plywood Lined, Logistics Posts, Scuff Board, Threshold Plate, Swing Doors, Sliding Tandem, Air Ride Suspension , 22.5 Low Profile Tires, Disc Wheels	\$ _____
T-64	1998 STOUGHTON 53 Ft. Aluminum Van, 102 Inches Wide, 13 Ft. 6 Inches High, 110 Inch Door Opening, Translucent Roof, Plywood Lined, Logistics Posts, Scuff Board, Threshold Plate, Swing Doors, Sliding Tandem, Air Ride Suspension , 22.5 Low Profile Tires, Disc Wheels	\$ _____
T-65	1998 STOUGHTON 53 Ft. Aluminum Van, 102 Inches Wide, 13 Ft. 6 Inches High, 110 Inch Door Opening, Translucent Roof, Plywood Lined, Scuff Board, Threshold Plate, Swing Doors, Sliding Tandem, Air Ride Suspension , 22.5 Low Profile Tires, Disc Wheels	\$ _____
T-66	1997 GREAT DANE 53 Ft. Aluminum Van, 102 Inches Wide, 13 Ft. 6 Inches High, 110 Inch Door Opening, Translucent Roof, Plywood Lined, Scuff Plate, Threshold Plate, Swing Doors, Sliding Tandem, Spring Suspension, 22.5 Low Profile Tires, Disc Wheels	\$ _____
T-67	1996 WABASH 53 Ft. Aluminum Plate Van, 102 Inches Wide, 13 Ft. 6 Inches High, 110 Inch Door Opening, Aluminum Roof, Fork Truck Package, Scuff Board, Threshold Plate, Swing Doors, Dual Cam Locks, Sliding Tandem, Spring Suspension, 22.5 Low Profile Tires, Disc Wheels	\$ _____
T-68	1996 WABASH 53 Ft. Aluminum Van, 102 Inches Wide, 13 Ft. 6 Inches High, 110 Inch Door Opening, Aluminum Roof, Plywood Lined, Scuff Plate, Threshold Plate, Swing Doors, Dual Cam Locks, Sliding Tandem, Spring Suspension, 22.5 Low Profile Tires, Disc Wheels	\$ _____
T-69	1995 WABASH 53 Ft. Aluminum Plate Van, 102 Inches Wide, 13 Ft. 6 Inches High, 110 Inch Door Opening, Aluminum Roof, Fork Truck Package, Scuff Board, Threshold Plate, Swing Doors, Dual Cam Locks, Sliding Tandem, Spring Suspension, 22.5 Low Profile Tires, Disc Wheels	\$ _____
T-70	1995 WABASH 53 Ft. Aluminum Plate Van, 102 Inches Wide, 13 Ft. 6 Inches High, 110 Inch Door Opening, Aluminum Roof, Threshold Plate, Swing Doors, Sliding Tandem, Air Ride Suspension , 22.5 Low Profile Tires, Disc Wheels	\$ _____
T-71	1994 WABASH 53 Ft. Aluminum Plate Van, 102 Inches Wide, 13 Ft. 6 Inches High, 110 Inch Door Opening, Aluminum Roof, Fork Truck Package, Scuff Board, Threshold Plate, Swing Doors, Dual Cam Locks, Sliding Tandem, Spring Suspension, 22.5 Low Profile Tires, Disc Wheels	\$ _____
T-72	1994 WABASH 53 Ft. Aluminum Plate Van, 102 Inches Wide, 13 Ft. 6 Inches High, 110 Inch Door Opening, Aluminum Roof, Fork Truck Package, Scuff Board, Threshold Plate, Swing Doors, Dual Cam Locks, Sliding Tandem, Spring Suspension, 22.5 Low Profile Tires, Disc Wheels	\$ _____

Lot#	Description	Price
T-73	1993 WABASH 53 Ft. Aluminum Plate Van, 102 Inches Wide, 13 Ft. 6 Inches High, 110 Inch Door Opening, Aluminum Roof, Fork Truck Package, Scuff Board, Threshold Plate, Swing Doors, Dual Cam Locks, Sliding Tandem, Spring Suspension, 22.5 Low Profile Tires, Disc Wheels	\$ _____
T-74	1993 WABASH 53 Ft. Aluminum Plate Van, 102 Inches Wide, 13 Ft. 6 Inches High, 110 Inch Door Opening, Aluminum Roof, Fork Truck Package, Scuff Board, Threshold Plate, Swing Doors, Dual Cam Locks, Sliding Tandem, Spring Suspension, 22.5 Low Profile Tires, Disc Wheels	\$ _____
T-75	1992 FRUEHAUF 53 Ft. Aluminum Van, 102 Inches Wide, 13 Ft. 6 Inches High, 110 Inch Door Opening, Translucent Roof, Plywood Lined, Logistics Posts, Scuff Plate, Threshold Plate, Swing Doors, Sliding Tandem, Air Ride Suspension, 11R22.5 Tires, Disc Wheels	\$ _____
T-76	1988 LUFKIN 48 Ft. Aluminum Van, 102 Inches Wide, 13 Ft. 6 Inches High, 110 Inch Door Opening, Aluminum Roof, Fork Truck Package, Plywood Lined, Aluminum Scuff Plate, Threshold Plate, Chain Tie Downs, Swing Doors, Sliding Tandem, Spring Suspension, 24.5 Low Profile Tires, Disc Wheels	\$ _____
T-77	1988 FRUEHAUF 48 Ft. Aluminum Van, 102 Inches Wide, 13 Ft. 6 Inches High, 110 Inch Door Opening, Aluminum Roof, Plywood Lined, Scuff Board, Threshold Plate, Sliding Tandem, 22.5 Low Profile Tires, Disc Wheels	\$ _____
T-78	1996 TRAILMOBILE 45 Ft. Aluminum Shop Van, 102 Inches Wide, 12 Ft. 8 Inches High, 94 Inch Door Opening, Wayne Cargo Master 6,000 Lb. Trolley Crane, 40 Ft. Long with 8 Ft. Rear Extensions, Electric Over Hydraulic Drive, Wired for 110 Volt, Weight Box, 3000 Watt Power Invertor with D8 12 Volt Battery, Translucent Roof, Plywood Lined, Wooden Cabinets, Roadside Door, Chain Tie Downs, Swing Doors, 4 Aluminum Storage Boxes, Sliding Tandem, Air Ride Suspension, 24.5 Low Profile Tires, Aluminum Disc Wheels	\$ _____
T-79	1999 KENTUCKY 53 Ft. Aluminum Drop Frame Furniture Van, 102 Inches Wide, 13 Ft. 6 Inches High, 4,200 Cubic Ft. Capacity, 11 Ft. Top Deck, 14 Inch Drop, 42 Ft. Main Deck, One Double Roadside Door, Four Double Curbside Doors, Plywood Lined, Logistic Posts, Swing Doors, Belly Boxes, Air Ride Suspension, 22.5 Low Profile Tires, Disc Wheels	\$ _____
T-80	1998 KENTUCKY 53 Ft. Aluminum Drop Frame Furniture Van, 102 Inches Wide, 13 Ft. 6 Inches High, 4,200 Cubic Ft. Capacity, 10 Ft. 9 Inch Top Deck, 14 Inch Drop, 42 Ft. 3 Inch Main Deck, One Double Roadside Door, Four Double Curbside Doors, Translucent Roof, Interior Lights, Composite Lined, Logistic Posts, Swing Doors, Belly Boxes, Slide-Out Rear Tail Light Bar, Air Ride Suspension, 22.5 Low Profile Tires, Disc Wheels	\$ _____
T-81	1997 KENTUCKY 53 Ft. Aluminum Drop Frame Furniture Van, 102 Inches Wide, 13 Ft. 6 Inches High, 4,000 Cubic Ft. Capacity, 11 Ft. Top Deck, 12 Inch Drop, 42 Ft. Main Deck, One Double Roadside Door, One Double Curbside Doors, Aluminum Roof, Plywood Lined, Logistic Posts, Swing Doors, Belly Boxes, Air Ride Suspension, 22.5 Low Profile Tires, Disc Wheels	\$ _____
T-82	1997 KENTUCKY 51 Ft. Aluminum Drop Frame Furniture Van, 102 Inches Wide, 13 Ft. 6 Inches High, 3,900 Cubic Ft. Capacity, 10 Ft. 9 Inch Top Deck, 12 Inch Drop, 40 Ft. 3 Inch Main Deck, One Double Roadside Door, Three Double Curbside Doors, Aluminum Roof, Plywood Lined, Logistic Posts, Swing Doors, Belly Boxes, Slide-Out Rear Tail Light Bar, Air Ride Suspension, 22.5 Low Profile Tires, Disc Wheels	\$ _____
T-83	1997 KENTUCKY 51 Ft. Aluminum Drop Frame Furniture Van, 102 Inches Wide, 13 Ft. 6 Inches High, 3,700 Cubic Ft. Capacity, 11 Ft. Top Deck, 12 Inch Drop, 40 Ft. Main Deck, One Double Roadside Door, Three Double Curbside Doors, Aluminum Roof, Interior Lights, Plywood Lined, Logistic Posts, Swing Doors, Belly Boxes, Slide-Out Rear Tail Light Bar, Air Ride Suspension, 22.5 Low Profile Tires, Disc Wheels	\$ _____
T-84	1998 WILSON Silver Star 50 Ft. Drop Center Aluminum Livestock Pot, 102 Inches Wide, 13 Ft. 6 Inches High, Sprinkler System, Translucent Roof, 1 Nose Rail with Decking, Divide Gates, 3/4 Counter Balance, Doghouse, Clean Out Doors, Floor Drains, Left Hand Load, Front & Rear Vents, Roll-Up Door, Aluminum Sub-Frame, Spring Suspension, 24.5 Low Profile Tires, Aluminum Disc Wheels	\$ _____

Lot#	Description	Price
T-85	1996 WILSON 53 Ft. Straight Floor Livestock Trailer, 102 Inches Wide , 13 Ft. 6 Inches High, Sprinkler System, Winter Kit, 3 Divide Gates Top & Bottom, Doghouse, Left Hand Load, Aluminum Storage Box, Spring Suspension, 24.5 Low Profile Tires, Aluminum Disc Wheels	\$ _____
T-86	2012 AULICK Aluminator 42 Ft. Aluminum Belt Trailer, 102 Inches Wide , 66 Inch Sides, 53 Inch Belt, Shur-Lok Roll Tarp, Full Liner , One Way Hydraulic Knife Gate, Air Ride Suspension , 11R22.5 Tires, Aluminum Disc Wheels	\$ _____
T-87	2010 AULICK Aluminator 42 Ft. Aluminum Belt Trailer, 102 Inches Wide , 66 Inch Sides, Exterior Post, 53 Inch Belt, Shur-Lok Roll Tarp, Full Liner , One Way Hydraulic Knife Gate, Air Ride Suspension , 11R22.5 Tires, Aluminum Disc Wheels	\$ _____
T-88	2017 TIMPTE 40 Ft. Aluminum Hopper Bottom , 96 Inches Wide, 72 Inch Sides, Ag Hoppers , Vibrator Brackets, Front & Rear Catwalks, Front & Rear Ladders, Knock Rails, Stainless Steel Front Corners, Shur-Lok Roll Tarp , Extra Lights, Air Ride Suspension with Dump Valve & Air Weight Gauge , 11R22.5 Tires, Aluminum Disc Wheels	\$ _____
T-89	2016 WILSON Pacesetter 43 Ft. Aluminum Hopper Bottom , 96 Inches Wide, 66 Inch Sides, Aluminum 5th Wheel Plate, Aluminum Drop Legs, 2 Holes, Ag Hoppers , Roller Strap Traps, Front & Rear Ladders, Stainless Steel Front Corners, Shurco Electric Roll Tarp , Sight Glasses, Aluminum Sub Frame, Air Ride Suspension with Manual Dump Valve & Weight Gauge , 11R22.5 Tires, Aluminum Disc Wheels	\$ _____
T-90	2009 STOUGHTON 40 Ft. Aluminum Hopper Bottom , 96 Inches Wide, 68 Inch Sides, 2 Holes with 2-Speed Doors, Ag Hoppers , Front & Rear Catwalks, Front & Rear Ladders, Shur-Lok Roll Tarp, Air Ride Suspension , 11R22.5 Tires, Aluminum Disc Wheels	\$ _____
T-91	2008 TIMPTE 40 Ft. Aluminum Hopper Bottom , 96 Inches Wide, 66 Inch Sides, Ag Hoppers , Front & Rear Catwalks, Front & Rear Ladders, Knock Rails, Stainless Steel Front, Shur-Lok Roll Tarp , Stainless Steel Rear, Extra Lights, Air Ride Suspension with Dump Valve & Air Weight Gauge , 11R24.5 Tires, Disc Wheels, Aluminum Disc Outside	\$ _____
T-92	2005 TIMPTE 40 Ft. Aluminum Hopper Bottom , 96 Inches Wide, 66 Inch Sides, Ag Hoppers , Front & Rear Catwalks, Front & Rear Ladders, Knock Rails, Stainless Steel Front Corners, Shur-Lok Roll Tarp , Stainless Steel Rear, Extra Lights, Spring Suspension, 11R22.5 Tires, Aluminum Disc Wheels	\$ _____
T-93	2009 SCHIEN 28 Ft. Frame-Type Aluminum End Dump , 96 Inches Wide, 60 Inch Sides, Aluminum Frame , Air Tail Gate, Spreader Pan, Coal Chute, 102 Inch Wide Axles, Air Ride Suspension , 11R22.5 Tires, Aluminum Disc Wheels	\$ _____
T-94	2008 EAST Genesis 40 Ft. Frameless Aluminum End Dump, 102 Inches Wide , 76 Inch Sides, Bed Liner on Sides of Box, Aluminum Draft Arms, Front & Rear Ladders, Cold Chute, Shur-Lok Roll Tarp , Air Tail Gate, Load Bearing Dollies, Aluminum Sub-Frame, Air Up/Air Down Lead Axle, 10 Ft. 1 Inch Spread Axle, Air Ride Suspension with Dump Valve & Manual Weight Gauge , 22.5 Low Profile Tires, Aluminum Disc Wheels	\$ _____
T-95	2001 EAST 40 Ft. Frame-Type Aluminum End Dump , 96 Inches Wide, 62 Inch Sides, Permanent Coil Plate, Heavy Duty Floor, Shur-Lok Roll Tarp , 10 Pair of Chain Tie Downs, Coal Chute, Air Tail Gate, 2-Way End Gate, 10 Ft. 3 Inch Spread Axle, Air Ride Suspension with Manual Dump Valve , 22.5 Low Profile Tires, Aluminum Disc Wheels	\$ _____
T-96	1995 MAC 40 Ft. Frameless Aluminum End Dump , 96 Inches Wide, 54 Inch Sides, Steel Lined Floor, Shur-Lok Roll Tarp , Air Tail Gate, Coal Chute, Load Bearing Dollies, Air Ride Suspension with Dump Valve , 11R24.5 Tires, Aluminum Disc Wheels	\$ _____

Lot#	Description	Price
T-97	2001 POLAR 42 Ft. Stainless Steel Tanker, 6,800 Gallon Capacity, Double Conical, 4 Compartments, 1500, 1900, 1500, 1900 Each , 316 Stainless Steel Material, Top Load, 2 Center Ladders, 3/4 Length Catwalk, Hose Trays, Hydraulic Pump, Auto Grease System , Rear Tow Loops, Front & Rear Aluminum Full Fenders, Stainless Steel Sub-Frame & Landing Gear, Air Ride Suspension with Manual Dump Valve , 24.5 Low Profile Tires, Aluminum Disc Wheels	\$ _____
T-98	1999 HEIL 43 Ft. Aluminum Tanker, 5,000 Gallon Capacity, Straight Barrel , 5454H32 Material, Top Load, Rear Discharge, 2 Hose Trays, Center Ladder, Top Catwalk, Rear Hydraulic Unload Valve, Pneumatic Pressurized Attachment for Vessel, Front & Rear Aluminum Full Fenders, Air Ride Suspension with Manual Dump Valve , 22.5 Low Profile Tires, Aluminum Disc Wheels	\$ _____
T-99	1990 WALKER 42 Ft. Stainless Steel Insulated Sanitary Tanker, 6,000 Gallon Capacity, Straight Barrel , 304 Stainless Steel Material, Top Load, Rear Discharge, 2 Center Ladders, Top Catwalk, Front & Rear Aluminum Full Fenders, Aluminum Sub-Frame & Cradle , Spring Suspension, 11R22.5 Tires, Spokes	\$ _____
T-100	1989 WALKER 42 Ft. Stainless Steel Insulated Sanitary Tanker, 6,000 Gallon Capacity, Straight Barrel , 304 Stainless Steel Material, Top Load, Rear Discharge, 2 Center Ladders, Top Catwalk, Front & Rear Aluminum Full Fenders, Aluminum Sub-Frame & Cradle , Spring Suspension, 11R22.5 Tires, Disc Wheels, Aluminum Disc Outside	\$ _____
T-101	1989 WALKER 42 Ft. Stainless Steel Insulated Sanitary Tanker, 6,000 Gallon Capacity, Straight Barrel , 304 Stainless Steel Material, Top Load, Rear Discharge, 2 Center Ladders, Top Catwalk, Front & Rear Aluminum Full Fenders, Aluminum Sub-Frame & Cradle , Spring Suspension, 11R22.5 Tires, Disc Wheels, Aluminum Disc Outside	\$ _____
T-102	1976 DOWNS 36 Ft. Mild Steel Tanker, 5,000 Gallon Capacity , 2 Compartments, 40,000 Lb. Max Product Load, Rear Discharge, Roll-Over Protection, Roadside Ladder & Catwalk, Front & Rear Full Fenders, 2 Storage Boxes, Dunnage Box, Spring Suspension, 11R22.5 Tires, Spokes	\$ _____
T-103	2004 XL SPECIALIZED XL-80MDE 48 Ft. Extendable RGN Low Boy, 102 Inches Wide , 60,000 Lbs. In 10 Ft. Closed, 28 Ft. 10 Inches in Well Closed, 49 Ft. 10 Inches in Well Extended, Brackets for Flip Neck, Outriggers, D-Ring Tie Downs, Rear Fenders, Pin on Brackets for Flip Axle, Air Ride Suspension , 22.5 Low Profile Tires, Disc Wheels	\$ _____
T-104	2009 XL SPECIALIZED XL-24FA Flip Axle, 102 Inches Wide, 53 Inch Deck , D-Ring Tie Downs, Air Ride Suspension , 22.5 Low Profile Tires, Disc Wheels, Aluminum Disc Outside	\$ _____
T-105	2013 EAST BST 48 Ft. Aluminum Flatbed, 102 Inches Wide , Aluminum Floor with Three Nail Strips, Double Pipe Spools, Aluminum Storage Rack, Sliding Winches, J-Hook Tie Down System, 10 Ft. 1 Inch Spread Axle, Air Ride Suspension , 22.5 Low Profile Tires, Aluminum Disc Wheels	\$ _____
T-106	2013 EAST BST 48 Ft. Aluminum Flatbed, 102 Inches Wide , Aluminum Floor with Three Nail Strips, Double Pipe Spools, Aluminum Storage Rack, Sliding Winches, J-Hook Tie Down System, 10 Ft. 1 Inch Spread Axle, Air Ride Suspension , 22.5 Low Profile Tires, Aluminum Disc Wheels	\$ _____
T-107	2013 UTILITY 48 Ft. Flatbed, 102 Inches Wide , Wood Floor, Double Pipe Spools, Winch Rail with Winches, Two Aluminum Storage Boxes, 10 Ft. 1 Inch Spread Axle, Air Ride Suspension , Disc Brakes, 22.5 Low Profile Tires, Disc Wheels	\$ _____
T-108	2013 UTILITY 48 Ft. Flatbed, 102 Inches Wide , Wood Floor, Double Pipe Spools, Winch Rail with Winches, Two Aluminum Storage Boxes, 10 Ft. 1 Inch Spread Axle, Air Ride Suspension , Disc Brakes, 22.5 Low Profile Tires, Disc Wheels	\$ _____

Lot#	Description	Price
T-109	2013 UTILITY 48 Ft. Flatbed, 102 Inches Wide , Wood Floor, Double Pipe Spools, Winch Rail with Winches, Two Aluminum Storage Boxes, 10 Ft. 1 Inch Spread Axle, Air Ride Suspension , Disc Brakes, 22.5 Low Profile Tires, Disc Wheels	\$ _____
T-110	2013 UTILITY 48 Ft. Flatbed, 102 Inches Wide , Wood Floor, Double Pipe Spools, Winch Rail with Winches, Two Aluminum Storage Boxes, 10 Ft. 1 Inch Spread Axle, Air Ride Suspension , Disc Brakes, 22.5 Low Profile Tires, Disc Wheels	\$ _____
T-111	2013 UTILITY 48 Ft. Flatbed, 102 Inches Wide , Wood Floor, Double Pipe Spools, Winch Rail with Winches, Two Aluminum Storage Boxes, 10 Ft. 1 Inch Spread Axle, Air Ride Suspension , Disc Brakes, 22.5 Low Profile Tires, Disc Wheels	\$ _____
T-112	2013 UTILITY 48 Ft. Flatbed, 102 Inches Wide , Wood Floor, Double Pipe Spools, Winch Rail with Winches, Two Aluminum Storage Boxes, 10 Ft. 1 Inch Spread Axle, Air Ride Suspension , Disc Brakes, 22.5 Low Profile Tires, Disc Wheels	\$ _____
T-113	2013 UTILITY 48 Ft. Flatbed, 102 Inches Wide , Wood Floor, Double Pipe Spools, Winch Rail with Winches, Two Aluminum Storage Boxes, 10 Ft. 1 Inch Spread Axle, Air Ride Suspension , Disc Brakes, 22.5 Low Profile Tires, Disc Wheels	\$ _____
T-114	2013 UTILITY 48 Ft. Flatbed, 102 Inches Wide , Wood Floor, Double Pipe Spools, Winch Rail with Winches, Two Aluminum Storage Boxes, 10 Ft. 1 Inch Spread Axle, Air Ride Suspension , Disc Brakes, 22.5 Low Profile Tires, Disc Wheels	\$ _____
T-115	2013 UTILITY 48 Ft. Flatbed, 102 Inches Wide , Wood Floor, Double Pipe Spools, Winch Rail with Winches, Two Aluminum Storage Boxes, 10 Ft. 1 Inch Spread Axle, Air Ride Suspension , Disc Brakes, 22.5 Low Profile Tires, Disc Wheels	\$ _____
T-116	2005 FONTAINE 48 Ft. Aluminum Combination Flatbed, 102 Inches Wide , Aluminum Floor with Four Nail Strips, Double Pipe Spools, Winch Rail with Winches, 10 Ft. 1 Inch Spread Axle, Air Ride Suspension , 24.5 Low Profile Tires, Disc Wheels, Aluminum Disc Outside	\$ _____
T-117	2003 GREAT DANE 49 Ft. Aluminum Combination Flatbed, 96 Inches Wide , Aluminum Floor with Two Nail Strips, Winch Rail with Winches & Straps, Aluminum Crossmembers , Aluminum Storage Box, Dunnage Rack, 10 Ft. 1 Inch Spread Axle, Air Ride Suspension , 22.5 Low Profile Tires, Disc Wheels	\$ _____
T-118	2002 TRANSCRAFT 53 Ft. Aluminum Combination Flatbed, 102 Inches Wide , Aluminum Floor with Four Nail Strips, Winch Rail with Winches, 10 Ft. 1 Inch Spread Axle, Air Ride Suspension , 24.5 Low Profile Tires, Disc Wheels, Aluminum Disc Outside	\$ _____
T-119	1994 UTILITY 43 Ft. Aluminum Combination Flatbed, 96 Inches Wide , 48 Inch Bulkhead, Aluminum Floor with Two Nail Strips, Double Pipe Spools, Winch Rail with Winches, 10 Ft. 1 Inch Spread Axle, Air Ride Suspension , 24.5 Low Profile Tires, Aluminum Disc Wheels	\$ _____
T-120		\$ _____